

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 6/6/2023 6:02:31 PM

JOB DESCRIPTION

RED-HILL
RUSH Weekly Red Hill

JOB NUMBER

380-44586-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Generated
6/6/2023 6:02:31 PM

Authorized for release by
Rachelle Arada, Manager of Project Management
Rachelle.Arada@et.eurofinsus.com
(626)386-1106



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	12
Surrogate Summary	13
Isotope Dilution Summary	16
QC Sample Results	18
QC Association Summary	38
Lab Chronicle	40
Certification Summary	41
Method Summary	43
Sample Summary	44
Subcontract Data	45
Chain of Custody	105
Receipt Checklists	107

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Subcontract

Qualifier	Qualifier Description
U	This analyte was not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Job ID: 380-44586-1

Laboratory: Eurofins Eaton Analytical Pomona

Narrative

Job Narrative 380-44586-1

Comments

No additional comments.

Receipt

The samples were received on 4/21/2023 9:25 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 2.7° C, 3.0° C, 4.0° C and 4.9° C.

GC/MS Semi VOA

Method 525.2: The continuing calibration verification (CCV) associated with batch preparation batch 380-37830 and analytical batch 380-37985 recovered above the upper control limit for Parathion. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: AIEA WELLS PUMPS 1&2 (260) P2 (380-44586-1) and (CCVIS 380-37985/2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

LCMS

Method 533: IDAs didn't meet method requirements. Re-run and got similar results. Sample is past hold time for re-extract. AIEA WELLS PUMPS 1&2 (260) P2 (380-44586-1). Data excluded from this report due to QC failure.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Subcontract non-Sister

See attached subcontract report.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Methods 8015 Gas (Purgeable) LL (EAL), 8015 LL DRO/MRO/JP5/JP8: These methods were subcontracted to EMAX Laboratories Inc. The subcontract laboratory certifications are different from that of the facility issuing the final report.

Method 625 PAH Physis LL (EAL) + TICs: This method was subcontracted to Physis Environmental Laboratories. The subcontract laboratory certification is different from that of the facility issuing the final report.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
PWSID Number: HI0000331

Lab Sample ID: 380-44586-1

No Detections.

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-2

No Detections.

Client Sample ID: FB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-1

Date Collected: 04/19/23 11:00

Matrix: Drinking Water

Date Received: 04/21/23 09:25

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	ND	^3+	0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
2,4'-DDE	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
2,4'-DDT	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
2,4-Dinitrotoluene	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
2,6-Dinitrotoluene	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
4,4'-DDD	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
4,4'-DDE	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
4,4'-DDT	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Acenaphthene	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Acenaphthylene	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Acetochlor	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Alachlor	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
alpha-BHC	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
alpha-Chlordane	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Anthracene	ND		0.020	ug/L		04/25/23 08:15	04/26/23 12:12	1
Atrazine	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Benz(a)anthracene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Benzo[a]pyrene	ND		0.020	ug/L		04/25/23 08:15	04/26/23 12:12	1
Benzo[b]fluoranthene	ND		0.020	ug/L		04/25/23 08:15	04/26/23 12:12	1
Benzo[g,h,i]perylene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Benzo[k]fluoranthene	ND		0.020	ug/L		04/25/23 08:15	04/26/23 12:12	1
beta-BHC	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Bromacil	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Butachlor	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Butylbenzylphthalate	ND		0.49	ug/L		04/25/23 08:15	04/26/23 12:12	1
Caffeine	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Chlorobenzilate	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Chloroneb	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Chlorothalonil (Draconil, Bravo)	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Chlorpyrifos	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Chrysene	ND		0.020	ug/L		04/25/23 08:15	04/26/23 12:12	1
delta-BHC	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Di(2-ethylhexyl)adipate	ND		0.59	ug/L		04/25/23 08:15	04/26/23 12:12	1
Bis(2-ethylhexyl) phthalate	ND		0.59	ug/L		04/25/23 08:15	04/26/23 12:12	1
Diazinon (Qualitative)	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Dibenz(a,h)anthracene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Diclorvos (DDVP)	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Dieldrin	ND		0.20	ug/L		04/25/23 08:15	04/26/23 12:12	1
Diethylphthalate	ND		0.49	ug/L		04/25/23 08:15	04/26/23 12:12	1
Dimethoate	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Dimethylphthalate	ND		0.49	ug/L		04/25/23 08:15	04/26/23 12:12	1
Di-n-butyl phthalate	ND		0.98	ug/L		04/25/23 08:15	04/26/23 12:12	1
Di-n-octyl phthalate	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Endosulfan I (Alpha)	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Endosulfan II (Beta)	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Endosulfan sulfate	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Endrin	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Endrin aldehyde	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
EPTC	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-1

Date Collected: 04/19/23 11:00

Matrix: Drinking Water

Date Received: 04/21/23 09:25

PWSID Number: HI0000331

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Fluorene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
gamma-Chlordane	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Heptachlor	ND		0.039	ug/L		04/25/23 08:15	04/26/23 12:12	1
Heptachlor epoxide (isomer B)	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Hexachlorobenzene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Hexachlorocyclopentadiene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Indeno[1,2,3-cd]pyrene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Isophorone	ND		0.49	ug/L		04/25/23 08:15	04/26/23 12:12	1
Lindane	ND		0.039	ug/L		04/25/23 08:15	04/26/23 12:12	1
Malathion	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Methoxychlor	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Metolachlor	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Metribuzin	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Molinate	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Naphthalene	ND		0.29	ug/L		04/25/23 08:15	04/26/23 12:12	1
Parathion	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Pendimethalin (Penoxaline)	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Total Permethrin (mixed isomers)	ND		0.20	ug/L		04/25/23 08:15	04/26/23 12:12	1
Phenanthrene	ND		0.039	ug/L		04/25/23 08:15	04/26/23 12:12	1
Propachlor	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Pyrene	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Simazine	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Terbacil	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Terbutylazine	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1
Thiobencarb	ND		0.20	ug/L		04/25/23 08:15	04/26/23 12:12	1
trans-Nonachlor	ND		0.049	ug/L		04/25/23 08:15	04/26/23 12:12	1
Trifluralin	ND		0.098	ug/L		04/25/23 08:15	04/26/23 12:12	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		ug/L			N/A	04/25/23 08:15	04/26/23 12:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	96		70 - 130	04/25/23 08:15	04/26/23 12:12	1
Triphenylphosphate	104		70 - 130	04/25/23 08:15	04/26/23 12:12	1
Perylene-d12	92		70 - 130	04/25/23 08:15	04/26/23 12:12	1

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluoroundecanoic acid (PFUnA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorohexanoic acid (PFHxA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorododecanoic acid (PFDoA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorooctanoic acid (PFOA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorodecanoic acid (PFDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-1

Date Collected: 04/19/23 11:00

Matrix: Drinking Water

Date Received: 04/21/23 09:25

PWSID Number: HI0000331

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluoroheptanoic acid (PFHpA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorononanoic acid (PFNA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorotetradecanoic acid (PFTA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Perfluorotridecanoic acid (PFTrDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	108		70 - 130			05/01/23 09:50	05/02/23 21:26	1
13C2 PFHxA	111		70 - 130			05/01/23 09:50	05/02/23 21:26	1
13C2 PFDA	97		70 - 130			05/01/23 09:50	05/02/23 21:26	1
13C3-GenX	106		70 - 130			05/01/23 09:50	05/02/23 21:26	1

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
1-Methylphenanthrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
2,3,5-Trimethylnaphthalene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
2,6-Dimethylnaphthalene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
2-Methylnaphthalene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Acenaphthene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Acenaphthylene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Anthracene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benz[a]anthracene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benzo[a]pyrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benzo[b]fluoranthene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benzo[e]pyrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benzo[g,h,i]perylene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Benzo[k]fluoranthene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Biphenyl	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Chrysene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Dibenz[a,h]anthracene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Dibenzo[a,l]pyrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Dibenzothiophene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Disalicylidenepropanediamine	ND		0.1	0.05	µg/L		04/25/23 00:00	05/04/23 00:34	1
Fluoranthene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Fluorene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Indeno[1,2,3-cd]pyrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Naphthalene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Perylene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Phenanthrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Pyrene	ND		0.005	0.001	µg/L		04/25/23 00:00	05/04/23 00:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
(d10-Acenaphthene)	76		27 - 133				04/25/23 00:00	05/04/23 00:34	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-1

Date Collected: 04/19/23 11:00

Matrix: Drinking Water

Date Received: 04/21/23 09:25

PWSID Number: HI0000331

Method: 625 PAH Physys LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
(d10-Phenanthrene)	79		43 - 129	04/25/23 00:00	05/04/23 00:34	1
(d12-Chrysene)	67		52 - 144	04/25/23 00:00	05/04/23 00:34	1
(d12-Perylene)	86		36 - 161	04/25/23 00:00	05/04/23 00:34	1
(d8-Naphthalene)	70		25 - 125	04/25/23 00:00	05/04/23 00:34	1

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.020		mg/L			04/25/23 16:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE	86		60 - 140		04/25/23 16:53	1

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DIESEL	ND	U	0.027		mg/L			04/28/23 20:03	1
JP5	ND	U	0.053		mg/L			04/28/23 20:03	1
JP8	ND	U	0.053		mg/L			04/28/23 20:03	1
MOTOR OIL	ND	U	0.053		mg/L			04/28/23 20:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOBENZENE	71		60 - 130		04/28/23 20:03	1
HEXACOSANE	82		60 - 130		04/28/23 20:03	1

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-2

Date Collected: 04/19/23 11:00

Matrix: Water

Date Received: 04/21/23 09:25

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.020		mg/L			04/25/23 17:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE	86		60 - 140		04/25/23 17:29	1

Client Sample ID: FB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-3

Date Collected: 04/19/23 11:00

Matrix: Water

Date Received: 04/21/23 09:25

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluoroundecanoic acid (PFUnA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorohexanoic acid (PFHxA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorododecanoic acid (PFDoA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorooctanoic acid (PFOA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorodecanoic acid (PFDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: FB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-3

Date Collected: 04/19/23 11:00

Matrix: Water

Date Received: 04/21/23 09:25

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluoroheptanoic acid (PFHpA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorononanoic acid (PFNA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorotetradecanoic acid (PFTA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Perfluorotridecanoic acid (PFTrDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 21:36	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	102		70 - 130			05/01/23 09:50	05/02/23 21:36	1
13C2 PFHxA	111		70 - 130			05/01/23 09:50	05/02/23 21:36	1
13C2 PFDA	98		70 - 130			05/01/23 09:50	05/02/23 21:36	1
13C3-GenX	100		70 - 130			05/01/23 09:50	05/02/23 21:36	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2
PWSID Number: HI0000331

Lab Sample ID: 380-44586-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Alachlor	ND		ug/L	2	0.049	525.2	Total/NA
Atrazine	ND		ug/L	3	0.049	525.2	Total/NA
Benzo[a]pyrene	ND		ug/L	0.2	0.020	525.2	Total/NA
Di(2-ethylhexyl)adipate	ND		ug/L	400	0.59	525.2	Total/NA
Bis(2-ethylhexyl) phthalate	ND		ug/L	6	0.59	525.2	Total/NA
Endrin	ND		ug/L	2	0.098	525.2	Total/NA
Heptachlor	ND		ug/L	0.4	0.039	525.2	Total/NA
Heptachlor epoxide (isomer B)	ND		ug/L	0.2	0.049	525.2	Total/NA
Hexachlorobenzene	ND		ug/L	1	0.049	525.2	Total/NA
Hexachlorocyclopentadiene	ND		ug/L	50	0.049	525.2	Total/NA
Lindane	ND		ug/L	0.2	0.039	525.2	Total/NA
Methoxychlor	ND		ug/L	40	0.098	525.2	Total/NA
Simazine	ND		ug/L	4	0.049	525.2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	TPP (70-130)	PRY (70-130)
380-44586-1	AIEA WELLS PUMPS 1&2 (260)	96	104	92

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 TPP = Triphenylphosphate
 PRY = Perylene-d12

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	TPP (70-130)	PRY (70-130)
380-44345-A-1-A MS	Matrix Spike	94	111	96
380-44421-BA-1-A DU	Duplicate	93	118	96
LCS 380-37830/3-A	Lab Control Sample	92	110	95
LCSD 380-37830/4-A	Lab Control Sample Dup	91	108	94
MB 380-37830/1-A	Method Blank	96	98	84
MRL 380-37830/2-A	Lab Control Sample	94	102	88

Surrogate Legend
 2NMX = 2-Nitro-m-xylene
 TPP = Triphenylphosphate
 PRY = Perylene-d12

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Drinking Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-44586-1	AIEA WELLS PUMPS 1&2 (260)	108	111	97	106

Surrogate Legend
 d5NEFOS = d5-NEtFOSAA
 PFHxA = 13C2 PFHxA
 PFDA = 13C2 PFDA
 GenX = 13C3-GenX

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-44565-E-2-A MS	Matrix Spike	98	105	97	100
380-44565-F-2-A MSD	Matrix Spike Duplicate	94	107	93	102
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	102	111	98	100
LCS 380-38612/23-A	Lab Control Sample	90	110	90	101
LCSD 380-38612/24-A	Lab Control Sample Dup	100	115	102	110
MBL 380-38612/21-A	Method Blank	104	117	99	110
MRL 380-38612/22-A	Lab Control Sample	97	111	97	102

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Surrogate Legend

d5NEFOS = d5-NEtFOSAA
PFHxA = 13C2 PFHxA
PFDA = 13C2 PFDA
GenX = 13C3-GenX

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i

Matrix: BlankMatrix

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)				
		Acenaphtl (27-133)	Phenanth (43-129)	CRY (52-144)	NPT (25-125)	PRY (36-161)
106240-B1	Method Blank	78	81	64	78	81
106240-BS1	Lab Control Sample	77	78	60	68	78
106240-BS2	Lab Control Sample Dup	78	74	64	73	81

Surrogate Legend

(d10-Acenaphthene) = (d10-Acenaphthene)
(d10-Phenanthrene) = (d10-Phenanthrene)
CRY = (d12-Chrysene)
NPT = (d8-Naphthalene)
PRY = (d12-Perylene)

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)				
		Acenaphtl (27-133)	Phenanth (43-129)	CRY (52-144)	NPT (25-125)	PRY (36-161)
380-44586-1	AIEA WELLS PUMPS 1&2 (260)	76	79	67	70	86

Surrogate Legend

(d10-Acenaphthene) = (d10-Acenaphthene)
(d10-Phenanthrene) = (d10-Phenanthrene)
CRY = (d12-Chrysene)
NPT = (d8-Naphthalene)
PRY = (d12-Perylene)

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (60-140)
		380-44586-1

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB
		23VG39D12B

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (70-130)
23VG39D12C	LCD	120
23VG39D12L	Lab Control Sample	117

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (60-140)
380-44586-2	TB: AIEA WELLS PUMPS 1&2 (86

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: Drinking Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BB (60-130)	XACOSAI (60-130)
380-44586-1	AIEA WELLS PUMPS 1&2 (260)	71	82

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BB (60-130)	XACOSAI (60-130)
23DSD033WL	Lab Control Sample	66	90
23J5D033WL	Lab Control Sample	72	79
23J8D033WL	Lab Control Sample	97	80

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BB	XACOSAI
23DSD033WB	Method Blank		

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

Isotope Dilution Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Drinking Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)	
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	17 *5-	39 *5-	22 *5-	18 *5-	21 *5-	35 *5-	47 *5-	54	

		Percent Isotope Dilution Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)	
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	30 *5-	25 *5-	98	102	104	110	108	118	

Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDaA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)	
380-44437-X-1-A MS	Matrix Spike	77	81	80	81	84	95	77	76	
380-44437-Y-1-A MSD	Matrix Spike Duplicate	72	73	76	77	82	93	69	69	
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	77	92	93	93	104	108	92	92	
LCS 380-40600/23-A	Lab Control Sample	82	91	94	91	96	96	92	90	
LCSD 380-40600/24-A	Lab Control Sample Dup	84	96	90	86	98	105	91	91	
MBL 380-40600/21-A	Method Blank	74	92	84	85	91	101	87	86	
MRL 380-40600/22-A	Lab Control Sample	79	93	98	95	99	104	88	89	

		Percent Isotope Dilution Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)	
380-44437-X-1-A MS	Matrix Spike	92	159	95	98	95	131	112	103	
380-44437-Y-1-A MSD	Matrix Spike Duplicate	87	149	89	97	86	133	112	98	
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	103	102	102	97	101	111	104	109	
LCS 380-40600/23-A	Lab Control Sample	99	100	98	96	100	103	97	96	
LCSD 380-40600/24-A	Lab Control Sample Dup	101	103	97	91	99	104	101	102	
MBL 380-40600/21-A	Method Blank	87	87	96	95	101	99	89	102	
MRL 380-40600/22-A	Lab Control Sample	101	94	100	97	97	94	96	101	

Surrogate Legend

Eurofins Eaton Analytical Pomona

Isotope Dilution Summary

Client: City & County of Honolulu

Job ID: 380-44586-1

Project/Site: RED-HILL

HFPODA = 13C3 HFPO-DA

C6PFDA = 13C6 PFDA

13C5PHA = 13C5 PFHxA

C4PFHA = 13C4 PFHpA

C8PFOA = 13C8 PFOA

C9PFNA = 13C9 PFNA

13C7PUA = 13C7 PFUnA

PFDoA = 13C2 PFDoA

PFBA = 13C4 PFBA

PFPeA = 13C5 PFPeA

C3PFBS = 13C3 PFBS

C3PFHS = 13C3 PFHxS

C8PFOS = 13C8 PFOS

42FTS = 13C2-4:2-FTS

62FTS = 13C2-6:2-FTS

82FTS = 13C2-8:2-FTS

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-37830/1-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 37830

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
2,4'-DDE	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
2,4'-DDT	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
2,4-Dinitrotoluene	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
2,6-Dinitrotoluene	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
4,4'-DDD	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
4,4'-DDE	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
4,4'-DDT	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Acenaphthene	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Acenaphthylene	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Acetochlor	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Alachlor	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
alpha-BHC	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
alpha-Chlordane	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Anthracene	ND		0.020	ug/L		04/25/23 06:20	04/26/23 07:28	1
Atrazine	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Benz(a)anthracene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Benzo[a]pyrene	ND		0.020	ug/L		04/25/23 06:20	04/26/23 07:28	1
Benzo[b]fluoranthene	ND		0.020	ug/L		04/25/23 06:20	04/26/23 07:28	1
Benzo[g,h,i]perylene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Benzo[k]fluoranthene	ND		0.020	ug/L		04/25/23 06:20	04/26/23 07:28	1
beta-BHC	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Bromacil	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Butachlor	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Butylbenzylphthalate	ND		0.50	ug/L		04/25/23 06:20	04/26/23 07:28	1
Caffeine	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Chlorobenzilate	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Chloroneb	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Chlorothalonil (Draconil, Bravo)	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Chlorpyrifos	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Chrysene	ND		0.020	ug/L		04/25/23 06:20	04/26/23 07:28	1
delta-BHC	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Di(2-ethylhexyl)adipate	ND		0.60	ug/L		04/25/23 06:20	04/26/23 07:28	1
Bis(2-ethylhexyl) phthalate	ND		0.60	ug/L		04/25/23 06:20	04/26/23 07:28	1
Diazinon (Qualitative)	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Dibenz(a,h)anthracene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Diclorvos (DDVP)	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Dieldrin	ND		0.20	ug/L		04/25/23 06:20	04/26/23 07:28	1
Diethylphthalate	ND		0.50	ug/L		04/25/23 06:20	04/26/23 07:28	1
Dimethoate	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Dimethylphthalate	ND		0.50	ug/L		04/25/23 06:20	04/26/23 07:28	1
Di-n-butyl phthalate	ND		0.99	ug/L		04/25/23 06:20	04/26/23 07:28	1
Di-n-octyl phthalate	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Endosulfan I (Alpha)	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Endosulfan II (Beta)	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Endosulfan sulfate	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Endrin	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Endrin aldehyde	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-37830/1-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 37830

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
EPTC	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Fluoranthene	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Fluorene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
gamma-Chlordane	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Heptachlor	ND		0.040	ug/L		04/25/23 06:20	04/26/23 07:28	1
Heptachlor epoxide (isomer B)	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Hexachlorobenzene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Hexachlorocyclopentadiene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Indeno[1,2,3-cd]pyrene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Isophorone	ND		0.50	ug/L		04/25/23 06:20	04/26/23 07:28	1
Lindane	ND		0.040	ug/L		04/25/23 06:20	04/26/23 07:28	1
Malathion	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Methoxychlor	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Metolachlor	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Metribuzin	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Molinate	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Naphthalene	ND		0.30	ug/L		04/25/23 06:20	04/26/23 07:28	1
Parathion	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Pendimethalin (Penoxaline)	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Total Permethrin (mixed isomers)	ND		0.20	ug/L		04/25/23 06:20	04/26/23 07:28	1
Phenanthrene	ND		0.040	ug/L		04/25/23 06:20	04/26/23 07:28	1
Propachlor	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Pyrene	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Simazine	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Terbacil	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Terbutylazine	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1
Thiobencarb	ND		0.20	ug/L		04/25/23 06:20	04/26/23 07:28	1
trans-Nonachlor	ND		0.050	ug/L		04/25/23 06:20	04/26/23 07:28	1
Trifluralin	ND		0.099	ug/L		04/25/23 06:20	04/26/23 07:28	1

<i>Tentatively Identified Compound</i>	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
<i>n-Hexadecanoic acid</i>	0.683	T J N	ug/L		5.94	57-10-3	04/25/23 06:20	04/26/23 07:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	96		70 - 130	04/25/23 06:20	04/26/23 07:28	1
Triphenylphosphate	98		70 - 130	04/25/23 06:20	04/26/23 07:28	1
Perylene-d12	84		70 - 130	04/25/23 06:20	04/26/23 07:28	1

Lab Sample ID: LCS 380-37830/3-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	1.99	1.90		ug/L		95	70 - 130
2,4'-DDE	1.99	1.95		ug/L		98	70 - 130
2,4'-DDT	1.99	2.06		ug/L		104	70 - 130
2,4-Dinitrotoluene	1.99	1.93		ug/L		97	70 - 130
2,6-Dinitrotoluene	1.99	1.88		ug/L		94	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-37830/3-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	1.99	2.05		ug/L		103	70 - 130
4,4'-DDE	1.99	2.19		ug/L		110	70 - 130
4,4'-DDT	1.99	2.09		ug/L		105	70 - 130
Acenaphthene	1.99	1.95		ug/L		98	70 - 130
Acenaphthylene	1.99	1.83		ug/L		92	70 - 130
Acetochlor	1.99	2.07		ug/L		104	70 - 130
Alachlor	1.99	2.08		ug/L		105	70 - 130
alpha-BHC	1.99	1.92		ug/L		97	70 - 130
alpha-Chlordane	1.99	2.30		ug/L		116	70 - 130
Anthracene	1.99	1.84		ug/L		92	70 - 130
Atrazine	1.99	2.15		ug/L		108	70 - 130
Benz(a)anthracene	1.99	2.03		ug/L		102	70 - 130
Benzo[a]pyrene	1.99	2.08		ug/L		104	70 - 130
Benzo[b]fluoranthene	1.99	2.08		ug/L		105	70 - 130
Benzo[g,h,i]perylene	1.99	2.32		ug/L		117	70 - 130
Benzo[k]fluoranthene	1.99	2.21		ug/L		111	70 - 130
beta-BHC	1.99	1.91		ug/L		96	70 - 130
Bromacil	1.99	2.31		ug/L		116	70 - 130
Butachlor	1.99	2.20		ug/L		111	70 - 130
Butylbenzylphthalate	1.99	2.26		ug/L		114	70 - 130
Caffeine	1.99	1.40		ug/L		71	45 - 137
Chlorobenzilate	1.99	1.99		ug/L		100	70 - 130
Chloroneb	1.99	2.03		ug/L		102	70 - 130
Chlorothalonil (Draconil, Bravo)	1.99	2.16		ug/L		109	70 - 130
Chlorpyrifos	1.99	2.10		ug/L		106	70 - 130
Chrysene	1.99	2.05		ug/L		103	70 - 130
delta-BHC	1.99	1.94		ug/L		98	70 - 130
Di(2-ethylhexyl)adipate	1.99	2.29		ug/L		115	70 - 130
Bis(2-ethylhexyl) phthalate	1.99	1.99		ug/L		100	70 - 130
Diazinon (Qualitative)	1.99	1.84		ug/L		93	15 - 132
Dibenz(a,h)anthracene	1.99	2.28		ug/L		115	70 - 130
Diclorvos (DDVP)	1.99	2.19		ug/L		110	70 - 130
Dieldrin	1.99	1.97		ug/L		99	70 - 130
Diethylphthalate	1.99	2.00		ug/L		100	70 - 130
Dimethoate	1.99	1.24		ug/L		63	35 - 100
Dimethylphthalate	1.99	2.05		ug/L		103	70 - 130
Di-n-butyl phthalate	3.98	4.54		ug/L		114	70 - 130
Di-n-octyl phthalate	1.99	1.91		ug/L		96	70 - 130
Endosulfan I (Alpha)	1.99	1.88		ug/L		94	70 - 130
Endosulfan II (Beta)	1.99	2.04		ug/L		103	70 - 130
Endosulfan sulfate	1.99	1.98		ug/L		100	70 - 130
Endrin	1.99	2.38		ug/L		120	70 - 130
Endrin aldehyde	1.99	2.03		ug/L		102	70 - 130
EPTC	1.99	2.17		ug/L		109	70 - 130
Fluoranthene	1.99	2.06		ug/L		104	70 - 130
Fluorene	1.99	2.05		ug/L		103	70 - 130
gamma-Chlordane	1.99	2.31		ug/L		116	70 - 130
Heptachlor	1.99	2.20		ug/L		111	70 - 130
Heptachlor epoxide (isomer B)	1.99	2.27		ug/L		114	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-37830/3-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexachlorobenzene	1.99	2.01		ug/L		101	70 - 130
Hexachlorocyclopentadiene	1.99	1.98		ug/L		100	70 - 130
Indeno[1,2,3-cd]pyrene	1.99	2.39		ug/L		120	70 - 130
Isophorone	1.99	2.22		ug/L		112	70 - 130
Lindane	1.99	2.06		ug/L		104	70 - 130
Malathion	1.99	2.15		ug/L		108	70 - 130
Methoxychlor	1.99	2.30		ug/L		116	70 - 130
Metolachlor	1.99	2.19		ug/L		110	70 - 130
Metribuzin	1.99	1.82		ug/L		92	70 - 130
Molinate	1.99	2.20		ug/L		111	70 - 130
Naphthalene	1.99	1.97		ug/L		99	70 - 130
Parathion	1.99	2.54		ug/L		128	70 - 130
Pendimethalin (Penoxaline)	1.99	2.12		ug/L		106	70 - 130
Phenanthrene	1.99	1.91		ug/L		96	70 - 130
Propachlor	1.99	2.22		ug/L		112	70 - 130
Pyrene	1.99	2.12		ug/L		106	70 - 130
Simazine	1.99	2.13		ug/L		107	70 - 130
Terbacil	1.99	2.56		ug/L		129	70 - 130
Terbutylazine	1.99	2.01		ug/L		101	70 - 130
Thiobencarb	1.99	2.32		ug/L		117	70 - 130
trans-Nonachlor	1.99	2.25		ug/L		113	70 - 130
Trifluralin	1.99	1.99		ug/L		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	92		70 - 130
Triphenylphosphate	110		70 - 130
Perylene-d12	95		70 - 130

Lab Sample ID: LCSD 380-37830/4-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4'-DDD	1.98	1.84		ug/L		93	70 - 130	3	20
2,4'-DDE	1.98	1.89		ug/L		95	70 - 130	3	20
2,4'-DDT	1.98	2.01		ug/L		101	70 - 130	3	20
2,4-Dinitrotoluene	1.98	2.10		ug/L		106	70 - 130	9	20
2,6-Dinitrotoluene	1.98	1.96		ug/L		99	70 - 130	4	20
4,4'-DDD	1.98	1.98		ug/L		100	70 - 130	3	20
4,4'-DDE	1.98	2.17		ug/L		109	70 - 130	1	20
4,4'-DDT	1.98	2.07		ug/L		104	70 - 130	1	20
Acenaphthene	1.98	1.96		ug/L		99	70 - 130	1	20
Acenaphthylene	1.98	1.90		ug/L		96	70 - 130	4	20
Acetochlor	1.98	2.03		ug/L		102	70 - 130	2	20
Alachlor	1.98	2.04		ug/L		103	70 - 130	2	20
alpha-BHC	1.98	1.88		ug/L		95	70 - 130	2	20
alpha-Chlordane	1.98	2.21		ug/L		112	70 - 130	4	20
Anthracene	1.98	1.87		ug/L		94	70 - 130	2	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-37830/4-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	RPD Limit
							Limits	RPD		
Atrazine	1.98	2.14		ug/L		108	70 - 130	0	20	
Benz(a)anthracene	1.98	2.02		ug/L		102	70 - 130	1	20	
Benzo[a]pyrene	1.98	2.06		ug/L		104	70 - 130	1	20	
Benzo[b]fluoranthene	1.98	2.09		ug/L		106	70 - 130	0	20	
Benzo[g,h,i]perylene	1.98	2.23		ug/L		112	70 - 130	4	20	
Benzo[k]fluoranthene	1.98	2.10		ug/L		106	70 - 130	5	20	
beta-BHC	1.98	1.92		ug/L		97	70 - 130	0	20	
Bromacil	1.98	2.38		ug/L		120	70 - 130	3	20	
Butachlor	1.98	2.17		ug/L		109	70 - 130	2	20	
Butylbenzylphthalate	1.98	2.23		ug/L		112	70 - 130	2	20	
Caffeine	1.98	1.59		ug/L		80	45 - 137	12	20	
Chlorobenzilate	1.98	1.99		ug/L		101	70 - 130	0	20	
Chloroneb	1.98	2.02		ug/L		102	70 - 130	1	20	
Chlorothalonil (Draconil, Bravo)	1.98	2.18		ug/L		110	70 - 130	1	20	
Chlorpyrifos	1.98	2.03		ug/L		102	70 - 130	4	20	
Chrysene	1.98	2.02		ug/L		102	70 - 130	1	20	
delta-BHC	1.98	1.93		ug/L		97	70 - 130	1	20	
Di(2-ethylhexyl)adipate	1.98	2.23		ug/L		112	70 - 130	2	20	
Bis(2-ethylhexyl) phthalate	1.98	1.94		ug/L		98	70 - 130	3	20	
Diazinon (Qualitative)	1.98	1.84		ug/L		93	15 - 132	0	20	
Dibenz(a,h)anthracene	1.98	2.24		ug/L		113	70 - 130	2	20	
Diclorvos (DDVP)	1.98	2.31		ug/L		117	70 - 130	6	20	
Dieldrin	1.98	1.90		ug/L		96	70 - 130	4	20	
Diethylphthalate	1.98	1.97		ug/L		99	70 - 130	1	20	
Dimethoate	1.98	1.19		ug/L		60	35 - 100	4	20	
Dimethylphthalate	1.98	2.09		ug/L		105	70 - 130	2	20	
Di-n-butyl phthalate	3.97	4.31		ug/L		109	70 - 130	5	20	
Di-n-octyl phthalate	1.98	1.86		ug/L		94	70 - 130	3	20	
Endosulfan I (Alpha)	1.98	1.83		ug/L		92	70 - 130	3	20	
Endosulfan II (Beta)	1.98	1.99		ug/L		100	70 - 130	3	20	
Endosulfan sulfate	1.98	1.97		ug/L		99	70 - 130	1	20	
Endrin	1.98	2.41		ug/L		121	70 - 130	1	20	
Endrin aldehyde	1.98	1.96		ug/L		99	70 - 130	4	20	
EPTC	1.98	2.09		ug/L		106	70 - 130	4	20	
Fluoranthene	1.98	2.08		ug/L		105	70 - 130	1	20	
Fluorene	1.98	2.06		ug/L		104	70 - 130	1	20	
gamma-Chlordane	1.98	2.27		ug/L		114	70 - 130	2	20	
Heptachlor	1.98	2.16		ug/L		109	70 - 130	2	20	
Heptachlor epoxide (isomer B)	1.98	2.22		ug/L		112	70 - 130	2	20	
Hexachlorobenzene	1.98	2.04		ug/L		103	70 - 130	1	20	
Hexachlorocyclopentadiene	1.98	2.21		ug/L		111	70 - 130	11	20	
Indeno[1,2,3-cd]pyrene	1.98	2.25		ug/L		113	70 - 130	6	20	
Isophorone	1.98	2.21		ug/L		111	70 - 130	1	20	
Lindane	1.98	1.98		ug/L		100	70 - 130	4	20	
Malathion	1.98	2.11		ug/L		107	70 - 130	2	20	
Methoxychlor	1.98	2.33		ug/L		117	70 - 130	1	20	
Metolachlor	1.98	2.13		ug/L		107	70 - 130	3	20	
Metribuzin	1.98	1.77		ug/L		89	70 - 130	3	20	
Molinate	1.98	2.15		ug/L		109	70 - 130	2	20	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-37830/4-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Naphthalene	1.98	1.98		ug/L		100	70 - 130	1	20
Parathion	1.98	2.53		ug/L		127	70 - 130	1	20
Pendimethalin (Penoxaline)	1.98	2.17		ug/L		110	70 - 130	3	20
Phenanthrene	1.98	1.89		ug/L		95	70 - 130	1	20
Propachlor	1.98	2.21		ug/L		112	70 - 130	0	20
Pyrene	1.98	2.13		ug/L		107	70 - 130	1	20
Simazine	1.98	2.16		ug/L		109	70 - 130	1	20
Terbacil	1.98	2.43		ug/L		122	70 - 130	5	20
Terbutylazine	1.98	2.00		ug/L		101	70 - 130	1	20
Thiobencarb	1.98	2.22		ug/L		112	70 - 130	4	20
trans-Nonachlor	1.98	2.20		ug/L		111	70 - 130	2	20
Trifluralin	1.98	2.01		ug/L		101	70 - 130	1	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Nitro-m-xylene	91		70 - 130
Triphenylphosphate	108		70 - 130
Perylene-d12	94		70 - 130

Lab Sample ID: MRL 380-37830/2-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	0.0995	0.151	^3+	ug/L		152	50 - 150
2,4'-DDE	0.0995	0.0966	J	ug/L		97	50 - 150
2,4'-DDT	0.0995	0.100		ug/L		101	50 - 150
2,4-Dinitrotoluene	0.0995	0.0771	J	ug/L		78	50 - 150
2,6-Dinitrotoluene	0.0995	0.0804	J	ug/L		81	50 - 150
4,4'-DDD	0.0995	0.0978	J	ug/L		98	50 - 150
4,4'-DDE	0.0995	0.0855	J	ug/L		86	50 - 150
4,4'-DDT	0.0995	0.101		ug/L		102	50 - 150
Acenaphthene	0.0995	0.0996		ug/L		100	50 - 150
Acenaphthylene	0.0995	0.0814	J	ug/L		82	50 - 150
Acetochlor	0.0497	0.0439	J	ug/L		88	50 - 150
Alachlor	0.0497	0.0536		ug/L		108	50 - 150
alpha-BHC	0.0995	0.104		ug/L		104	50 - 150
alpha-Chlordane	0.0249	ND		ug/L		105	50 - 150
Anthracene	0.0199	ND		ug/L		94	50 - 150
Atrazine	0.0497	ND		ug/L		96	50 - 150
Benz(a)anthracene	0.0497	0.0476	J	ug/L		96	50 - 150
Benzo[a]pyrene	0.0199	0.0174	J	ug/L		88	50 - 150
Benzo[b]fluoranthene	0.0199	0.0211		ug/L		106	50 - 150
Benzo[g,h,i]perylene	0.0497	0.0538		ug/L		108	50 - 150
Benzo[k]fluoranthene	0.0199	0.0182	J	ug/L		91	50 - 150
beta-BHC	0.0995	0.103		ug/L		104	50 - 150
Bromacil	0.0995	0.110		ug/L		111	50 - 150
Butachlor	0.0497	0.0571		ug/L		115	50 - 150
Butylbenzylphthalate	0.149	0.178	J	ug/L		119	50 - 150

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-37830/2-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Caffeine	0.0497	0.0339	J	ug/L		68	50 - 150
Chlorobenzilate	0.0995	0.0520	J	ug/L		52	50 - 150
Chloroneb	0.0995	0.104		ug/L		104	50 - 150
Chlorothalonil (Draconil, Bravo)	0.0995	0.0805	J	ug/L		81	50 - 150
Chlorpyrifos	0.0497	0.0492	J	ug/L		99	50 - 150
Chrysene	0.0199	0.0213		ug/L		107	50 - 150
delta-BHC	0.0995	0.115		ug/L		116	50 - 150
Di(2-ethylhexyl)adipate	0.298	0.384	J	ug/L		129	50 - 150
Bis(2-ethylhexyl) phthalate	0.597	0.739		ug/L		124	50 - 150
Diazinon (Qualitative)	0.0995	0.0923	J	ug/L		93	15 - 132
Dibenz(a,h)anthracene	0.0497	0.0470	J	ug/L		94	50 - 150
Diclorvos (DDVP)	0.0497	0.0497	J	ug/L		100	50 - 150
Dieldrin	0.0995	0.0938	J	ug/L		94	50 - 150
Diethylphthalate	0.149	0.170	J	ug/L		114	50 - 150
Dimethoate	0.0995	0.0382	J	ug/L		38	35 - 100
Dimethylphthalate	0.298	0.302	J	ug/L		101	50 - 150
Di-n-butyl phthalate	0.298	0.355	J	ug/L		119	49 - 243
Di-n-octyl phthalate	0.0995	0.0957	J	ug/L		96	50 - 150
Endosulfan I (Alpha)	0.0995	0.102		ug/L		102	50 - 150
Endosulfan II (Beta)	0.0995	0.0888	J	ug/L		89	50 - 150
Endosulfan sulfate	0.0995	0.0920	J	ug/L		93	50 - 150
Endrin	0.0995	0.110		ug/L		110	50 - 150
Endrin aldehyde	0.0995	0.0844	J	ug/L		85	50 - 150
EPTC	0.0995	0.105		ug/L		106	50 - 150
Fluoranthene	0.0497	0.0539	J	ug/L		108	50 - 150
Fluorene	0.0497	ND		ug/L		100	50 - 150
gamma-Chlordane	0.0249	0.0261	J	ug/L		105	50 - 150
Heptachlor	0.0398	0.0557		ug/L		140	50 - 150
Heptachlor epoxide (isomer B)	0.0497	0.0475	J	ug/L		96	50 - 150
Hexachlorobenzene	0.0497	ND		ug/L		82	50 - 150
Hexachlorocyclopentadiene	0.0497	0.0401	J	ug/L		81	50 - 150
Indeno[1,2,3-cd]pyrene	0.0497	0.0494	J	ug/L		99	50 - 150
Isophorone	0.0995	0.123	J	ug/L		124	50 - 150
Lindane	0.0398	0.0498		ug/L		125	50 - 150
Malathion	0.0995	0.0930	J	ug/L		94	50 - 150
Methoxychlor	0.0995	0.105		ug/L		106	50 - 150
Metolachlor	0.0497	0.0582		ug/L		117	50 - 150
Metribuzin	0.0497	0.0337	J	ug/L		68	50 - 150
Molinate	0.0995	0.111		ug/L		112	50 - 150
Naphthalene	0.0995	0.112	J	ug/L		113	50 - 150
Parathion	0.0995	0.0979	J	ug/L		98	50 - 150
Pendimethalin (Penoxaline)	0.0995	0.0702	J	ug/L		71	50 - 150
Phenanthrene	0.0199	0.0249	J	ug/L		125	50 - 150
Propachlor	0.0497	0.0529		ug/L		106	50 - 150
Pyrene	0.0497	0.0545		ug/L		110	50 - 150
Simazine	0.0497	0.0507		ug/L		102	50 - 150
Terbacil	0.0995	0.130		ug/L		130	50 - 150
Terbutylazine	0.0995	0.0947	J	ug/L		95	50 - 150
Thiobencarb	0.0995	0.124	J	ug/L		125	50 - 150

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-37830/2-A
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
trans-Nonachlor	0.0249	ND		ug/L		101	50 - 150
Trifluralin	0.0995	0.0674	J	ug/L		68	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
2-Nitro-m-xylene	94		70 - 130
Triphenylphosphate	102		70 - 130
Perylene-d12	88		70 - 130

Lab Sample ID: 380-44345-A-1-A MS
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2,4'-DDD	ND	^3+	1.96	1.91		ug/L		97	70 - 130
2,4'-DDE	ND		1.96	1.93		ug/L		98	70 - 130
2,4'-DDT	ND		1.96	2.03		ug/L		104	70 - 130
2,4-Dinitrotoluene	ND		1.96	2.08		ug/L		106	70 - 130
2,6-Dinitrotoluene	ND		1.96	1.97		ug/L		100	70 - 130
4,4'-DDD	ND		1.96	2.05		ug/L		105	70 - 130
4,4'-DDE	ND		1.96	2.19		ug/L		111	70 - 130
4,4'-DDT	ND		1.96	2.08		ug/L		106	70 - 130
Acenaphthene	ND		1.96	1.94		ug/L		99	70 - 130
Acenaphthylene	ND		1.96	1.88		ug/L		96	70 - 130
Acetochlor	ND		1.96	2.05		ug/L		105	70 - 130
Alachlor	ND		1.96	2.09		ug/L		106	70 - 130
alpha-BHC	ND		1.96	1.88		ug/L		96	70 - 130
alpha-Chlordane	ND		1.96	2.28		ug/L		116	70 - 130
Anthracene	ND		1.96	1.74		ug/L		89	70 - 130
Atrazine	ND		1.96	2.15		ug/L		109	70 - 130
Benz(a)anthracene	ND		1.96	2.02		ug/L		103	70 - 130
Benzo[a]pyrene	ND		1.96	1.99		ug/L		101	70 - 130
Benzo[b]fluoranthene	ND		1.96	2.10		ug/L		107	70 - 130
Benzo[g,h,i]perylene	ND		1.96	2.28		ug/L		116	70 - 130
Benzo[k]fluoranthene	ND		1.96	2.14		ug/L		109	70 - 130
beta-BHC	ND		1.96	1.88		ug/L		96	70 - 130
Bromacil	ND		1.96	2.44		ug/L		125	70 - 130
Butachlor	ND		1.96	2.23		ug/L		114	70 - 130
Butylbenzylphthalate	ND		1.96	2.32		ug/L		118	70 - 130
Caffeine	ND		1.96	1.95		ug/L		99	46 - 144
Chlorobenzilate	ND		1.96	1.87		ug/L		95	70 - 130
Chloroneb	ND		1.96	2.09		ug/L		106	70 - 130
Chlorothalonil (Draconil, Bravo)	ND		1.96	2.16		ug/L		110	70 - 130
Chlorpyrifos	ND		1.96	2.11		ug/L		108	70 - 130
Chrysene	ND		1.96	2.04		ug/L		104	70 - 130
delta-BHC	ND		1.96	1.97		ug/L		100	70 - 130
Di(2-ethylhexyl)adipate	ND		1.96	2.24		ug/L		114	70 - 130
Bis(2-ethylhexyl) phthalate	ND		1.96	1.83		ug/L		93	70 - 130
Diazinon (Qualitative)	ND		1.96	1.95		ug/L		100	15 - 132

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-44345-A-1-A MS
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Dibenz(a,h)anthracene	ND		1.96	2.27		ug/L		115	70 - 130
Diclorvos (DDVP)	ND		1.96	2.28		ug/L		116	70 - 130
Dieldrin	ND		1.96	1.95		ug/L		99	70 - 130
Diethylphthalate	ND		1.96	1.97		ug/L		100	70 - 130
Dimethoate	ND		1.96	1.83		ug/L		93	34 - 111
Dimethylphthalate	ND		1.96	2.06		ug/L		105	70 - 130
Di-n-butyl phthalate	ND		3.92	4.42		ug/L		113	70 - 130
Di-n-octyl phthalate	ND		1.96	1.73		ug/L		88	70 - 130
Endosulfan I (Alpha)	ND		1.96	1.90		ug/L		97	70 - 130
Endosulfan II (Beta)	ND		1.96	2.05		ug/L		105	70 - 130
Endosulfan sulfate	ND		1.96	2.07		ug/L		105	70 - 130
Endrin	ND		1.96	2.29		ug/L		117	70 - 130
Endrin aldehyde	ND		1.96	1.79		ug/L		91	70 - 130
EPTC	ND		1.96	2.21		ug/L		113	70 - 130
Fluoranthene	ND		1.96	2.09		ug/L		107	70 - 130
Fluorene	ND		1.96	2.01		ug/L		103	70 - 130
gamma-Chlordane	ND		1.96	2.35		ug/L		120	70 - 130
Heptachlor	ND		1.96	2.19		ug/L		112	70 - 130
Heptachlor epoxide (isomer B)	ND		1.96	2.28		ug/L		116	70 - 130
Hexachlorobenzene	ND		1.96	1.97		ug/L		101	70 - 130
Hexachlorocyclopentadiene	ND		1.96	2.04		ug/L		104	70 - 130
Indeno[1,2,3-cd]pyrene	ND		1.96	2.33		ug/L		119	70 - 130
Isophorone	ND		1.96	2.24		ug/L		114	70 - 130
Lindane	ND		1.96	2.00		ug/L		102	70 - 130
Malathion	ND		1.96	2.17		ug/L		111	70 - 130
Methoxychlor	ND		1.96	2.29		ug/L		117	70 - 130
Metolachlor	ND		1.96	2.21		ug/L		113	70 - 130
Metribuzin	ND		1.96	1.75		ug/L		89	70 - 130
Molinate	ND		1.96	2.22		ug/L		113	70 - 130
Naphthalene	ND		1.96	1.99		ug/L		101	70 - 130
Parathion	ND		1.96	2.56		ug/L		130	70 - 130
Pendimethalin (Penoxaline)	ND		1.96	2.14		ug/L		109	70 - 130
Phenanthrene	ND		1.96	1.95		ug/L		99	70 - 130
Propachlor	ND		1.96	2.20		ug/L		112	70 - 130
Pyrene	ND		1.96	2.16		ug/L		110	70 - 130
Simazine	ND		1.96	2.17		ug/L		111	70 - 130
Terbacil	ND	F1	1.96	2.58	F1	ug/L		131	70 - 130
Terbutylazine	ND		1.96	2.02		ug/L		103	70 - 130
Thiobencarb	ND		1.96	2.28		ug/L		116	70 - 130
trans-Nonachlor	ND		1.96	2.26		ug/L		115	70 - 130
Trifluralin	ND		1.96	1.99		ug/L		102	70 - 130
		MS		MS					
Surrogate		%Recovery	Qualifier						Limits
2-Nitro-m-xylene		94							70 - 130
Triphenylphosphate		111							70 - 130
Perylene-d12		96							70 - 130

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-44421-BA-1-A DU
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
2,4'-DDD	ND	^3+	ND		ug/L		NC	20
2,4'-DDE	ND		ND		ug/L		NC	20
2,4'-DDT	ND		ND		ug/L		NC	20
2,4-Dinitrotoluene	ND		ND		ug/L		NC	20
2,6-Dinitrotoluene	ND		ND		ug/L		NC	20
4,4'-DDD	ND		ND		ug/L		NC	20
4,4'-DDE	ND		ND		ug/L		NC	20
4,4'-DDT	ND		ND		ug/L		NC	20
Acenaphthene	ND		ND		ug/L		NC	20
Acenaphthylene	ND		ND		ug/L		NC	20
Acetochlor	ND		ND		ug/L		NC	20
Alachlor	ND		ND		ug/L		NC	20
alpha-BHC	ND		ND		ug/L		NC	20
alpha-Chlordane	ND		ND		ug/L		NC	20
Anthracene	ND		ND		ug/L		NC	20
Atrazine	0.050		0.0500		ug/L		0.5	20
Benz(a)anthracene	ND		ND		ug/L		NC	20
Benzo[a]pyrene	ND		ND		ug/L		NC	20
Benzo[b]fluoranthene	ND		ND		ug/L		NC	20
Benzo[g,h,i]perylene	ND		ND		ug/L		NC	20
Benzo[k]fluoranthene	ND		ND		ug/L		NC	20
beta-BHC	ND		ND		ug/L		NC	20
Bromacil	ND		ND		ug/L		NC	20
Butachlor	ND		ND		ug/L		NC	20
Butylbenzylphthalate	ND		ND		ug/L		NC	20
Caffeine	ND		ND		ug/L		NC	20
Chlorobenzilate	ND		ND		ug/L		NC	20
Chloroneb	ND		ND		ug/L		NC	20
Chlorothalonil (Draconil, Bravo)	ND		ND		ug/L		NC	20
Chlorpyrifos	ND		ND		ug/L		NC	20
Chrysene	ND		ND		ug/L		NC	20
delta-BHC	ND		ND		ug/L		NC	20
Di(2-ethylhexyl)adipate	ND		ND		ug/L		NC	20
Bis(2-ethylhexyl) phthalate	ND		ND		ug/L		NC	20
Diazinon (Qualitative)	ND		ND		ug/L		NC	20
Dibenz(a,h)anthracene	ND		ND		ug/L		NC	20
Diclorvos (DDVP)	ND		ND		ug/L		NC	20
Dieldrin	ND		ND		ug/L		NC	20
Diethylphthalate	ND		ND		ug/L		NC	20
Dimethoate	ND		ND		ug/L		NC	20
Dimethylphthalate	ND		ND		ug/L		NC	20
Di-n-butyl phthalate	ND		ND		ug/L		NC	20
Di-n-octyl phthalate	ND		ND		ug/L		NC	20
Endosulfan I (Alpha)	ND		ND		ug/L		NC	20
Endosulfan II (Beta)	ND		ND		ug/L		NC	20
Endosulfan sulfate	ND		ND		ug/L		NC	20
Endrin	ND		ND		ug/L		NC	20
Endrin aldehyde	ND		ND		ug/L		NC	20

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-44421-BA-1-A DU
Matrix: Water
Analysis Batch: 37985

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 37830

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
EPTC	ND		ND		ug/L		NC	20
Fluoranthene	ND		ND		ug/L		NC	20
Fluorene	ND		ND		ug/L		NC	20
gamma-Chlordane	ND		ND		ug/L		NC	20
Heptachlor	ND		ND		ug/L		NC	20
Heptachlor epoxide (isomer B)	ND		ND		ug/L		NC	20
Hexachlorobenzene	ND		ND		ug/L		NC	20
Hexachlorocyclopentadiene	ND		ND		ug/L		NC	20
Indeno[1,2,3-cd]pyrene	ND		ND		ug/L		NC	20
Isophorone	ND		ND		ug/L		NC	20
Lindane	ND		ND		ug/L		NC	20
Malathion	ND		ND		ug/L		NC	20
Methoxychlor	ND		ND		ug/L		NC	20
Metolachlor	ND		ND		ug/L		NC	20
Metribuzin	ND		ND		ug/L		NC	20
Molinate	ND		ND		ug/L		NC	20
Naphthalene	ND		ND		ug/L		NC	20
Parathion	ND		ND		ug/L		NC	20
Pendimethalin (Penoxaline)	ND		ND		ug/L		NC	20
Total Permethrin (mixed isomers)	ND		ND		ug/L		NC	20
Phenanthrene	ND		ND		ug/L		NC	20
Propachlor	ND		ND		ug/L		NC	20
Pyrene	ND		ND		ug/L		NC	20
Simazine	0.049		ND		ug/L		NC	20
Terbacil	ND		ND		ug/L		NC	20
Terbutylazine	ND		ND		ug/L		NC	20
Thiobencarb	ND		ND		ug/L		NC	20
trans-Nonachlor	ND		ND		ug/L		NC	20
Trifluralin	ND		ND		ug/L		NC	20

Surrogate	DU %Recovery	DU Qualifier	Limits
2-Nitro-m-xylene	93		70 - 130
Triphenylphosphate	118		70 - 130
Perylene-d12	96		70 - 130

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS)

Lab Sample ID: MBL 380-38612/21-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 38612

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorooctanesulfonic acid (PFOS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluoroundecanoic acid (PFUnA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: MBL 380-38612/21-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 38612

Analyte	MBL	MBL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorohexanoic acid (PFHxA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorododecanoic acid (PFDoA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorooctanoic acid (PFOA)	0.444	J	2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorodecanoic acid (PFDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorohexanesulfonic acid (PFHxS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorobutanesulfonic acid (PFBS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluoroheptanoic acid (PFHpA)	0.406	J	2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorononanoic acid (PFNA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorotetradecanoic acid (PFTA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
Perfluorotridecanoic acid (PFTrDA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		2.0	ng/L		05/01/23 09:50	05/02/23 19:51	1

Surrogate	MBL	MBL	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
d5-NEtFOSAA	104		70 - 130	05/01/23 09:50	05/02/23 19:51	1
13C2 PFHxA	117		70 - 130	05/01/23 09:50	05/02/23 19:51	1
13C2 PFDA	99		70 - 130	05/01/23 09:50	05/02/23 19:51	1
13C3-GenX	110		70 - 130	05/01/23 09:50	05/02/23 19:51	1

Lab Sample ID: LCS 380-38612/23-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluorooctanesulfonic acid (PFOS)	46.5	46.3		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	50.2	42.8		ng/L		85	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.2	47.7		ng/L		95	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.2	48.3		ng/L		96	70 - 130
Perfluorohexanoic acid (PFHxA)	50.2	52.4		ng/L		104	70 - 130
Perfluorododecanoic acid (PFDoA)	50.2	43.4		ng/L		86	70 - 130
Perfluorooctanoic acid (PFOA)	50.2	51.3		ng/L		102	70 - 130
Perfluorodecanoic acid (PFDA)	50.2	43.8		ng/L		87	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	45.8	46.3		ng/L		101	70 - 130
Perfluorobutanesulfonic acid (PFBS)	44.4	44.7		ng/L		101	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.2	48.8		ng/L		97	70 - 130
Perfluorononanoic acid (PFNA)	50.2	53.6		ng/L		107	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: LCS 380-38612/23-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluorotetradecanoic acid (PFTA)	50.2	44.5		ng/L		89	70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.2	43.5		ng/L		87	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	46.9	44.7		ng/L		95	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	47.4	43.6		ng/L		92	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	47.4	43.1		ng/L		91	70 - 130
LCS LCS							
Surrogate	%Recovery	Qualifier	Limits				
d5-NEtFOSAA	90		70 - 130				
13C2 PFHxA	110		70 - 130				
13C2 PFDA	90		70 - 130				
13C3-GenX	101		70 - 130				

Lab Sample ID: LCSD 380-38612/24-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.0	46.9		ng/L		94	70 - 130	3	30
Perfluorooctanesulfonic acid (PFOS)	46.3	48.4		ng/L		104	70 - 130	4	30
Perfluoroundecanoic acid (PFUnA)	50.0	46.4		ng/L		93	70 - 130	8	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.0	49.2		ng/L		98	70 - 130	3	30
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.0	50.1		ng/L		100	70 - 130	4	30
Perfluorohexanoic acid (PFHxA)	50.0	50.6		ng/L		101	70 - 130	3	30
Perfluorododecanoic acid (PFDoA)	50.0	46.6		ng/L		93	70 - 130	7	30
Perfluorooctanoic acid (PFOA)	50.0	53.9		ng/L		108	70 - 130	5	30
Perfluorodecanoic acid (PFDA)	50.0	46.0		ng/L		92	70 - 130	5	30
Perfluorohexanesulfonic acid (PFHxS)	45.6	47.7		ng/L		105	70 - 130	3	30
Perfluorobutanesulfonic acid (PFBS)	44.3	46.6		ng/L		105	70 - 130	4	30
Perfluoroheptanoic acid (PFHpA)	50.0	49.9		ng/L		100	70 - 130	2	30
Perfluorononanoic acid (PFNA)	50.0	55.5		ng/L		111	70 - 130	4	30
Perfluorotetradecanoic acid (PFTA)	50.0	45.3		ng/L		91	70 - 130	2	30
Perfluorotridecanoic acid (PFTrDA)	50.0	45.3		ng/L		91	70 - 130	4	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	46.8	45.9		ng/L		98	70 - 130	3	30

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: LCSD 380-38612/24-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	47.3	45.9		ng/L		97	70 - 130	5	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	47.3	45.6		ng/L		97	70 - 130	6	30
		LCSD	LCSD						
Surrogate	%Recovery	Qualifier	Limits						
d5-NEtFOSAA	100		70 - 130						
13C2 PFHxA	115		70 - 130						
13C2 PFDA	102		70 - 130						
13C3-GenX	110		70 - 130						

Lab Sample ID: MRL 380-38612/22-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits		
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.92	J	ng/L		96	50 - 150		
Perfluorooctanesulfonic acid (PFOS)	1.86	1.94	J	ng/L		105	50 - 150		
Perfluoroundecanoic acid (PFUnA)	2.00	1.86	J	ng/L		93	50 - 150		
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	2.00		ng/L		100	50 - 150		
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.03		ng/L		102	50 - 150		
Perfluorohexanoic acid (PFHxA)	2.00	2.29		ng/L		114	50 - 150		
Perfluorododecanoic acid (PFDoA)	2.00	1.94	J	ng/L		97	50 - 150		
Perfluorooctanoic acid (PFOA)	2.00	2.55		ng/L		127	50 - 150		
Perfluorodecanoic acid (PFDA)	2.00	1.93	J	ng/L		96	50 - 150		
Perfluorohexanesulfonic acid (PFHxS)	1.83	1.86	J	ng/L		102	50 - 150		
Perfluorobutanesulfonic acid (PFBS)	1.77	1.84	J	ng/L		104	50 - 150		
Perfluoroheptanoic acid (PFHpA)	2.00	2.20		ng/L		110	50 - 150		
Perfluorononanoic acid (PFNA)	2.00	2.56		ng/L		128	50 - 150		
Perfluorotetradecanoic acid (PFTA)	2.00	1.94	J	ng/L		97	50 - 150		
Perfluorotridecanoic acid (PFTrDA)	2.00	1.84	J	ng/L		92	50 - 150		
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	1.87	1.87	J	ng/L		100	50 - 150		
11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	1.89	1.75	J	ng/L		93	50 - 150		
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	1.89	1.80	J	ng/L		95	50 - 150		

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: MRL 380-38612/22-A
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 38612

<i>Surrogate</i>	<i>MRL %Recovery</i>	<i>MRL Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	97		70 - 130
13C2 PFHxA	111		70 - 130
13C2 PFDA	97		70 - 130
13C3-GenX	102		70 - 130

Lab Sample ID: 380-44565-E-2-A MS
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 38612

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MS Result</i>	<i>MS Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		50.3	45.9		ng/L		91	70 - 130
Perfluorooctanesulfonic acid (PFOS)	ND		46.6	45.9		ng/L		99	70 - 130
Perfluoroundecanoic acid (PFUnA)	ND		50.3	45.0		ng/L		89	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		50.3	48.3		ng/L		96	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		50.3	50.3		ng/L		100	70 - 130
Perfluorohexanoic acid (PFHxA)	ND		50.3	48.4		ng/L		96	70 - 130
Perfluorododecanoic acid (PFDoA)	ND		50.3	46.8		ng/L		93	70 - 130
Perfluorooctanoic acid (PFOA)	ND		50.3	52.7		ng/L		105	70 - 130
Perfluorodecanoic acid (PFDA)	ND		50.3	46.5		ng/L		93	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	ND		45.9	44.8		ng/L		98	70 - 130
Perfluorobutanesulfonic acid (PFBS)	ND		44.5	42.2		ng/L		95	70 - 130
Perfluoroheptanoic acid (PFHpA)	ND		50.3	48.3		ng/L		96	70 - 130
Perfluorononanoic acid (PFNA)	ND		50.3	56.2		ng/L		112	70 - 130
Perfluorotetradecanoic acid (PFTA)	ND		50.3	45.9		ng/L		91	70 - 130
Perfluorotridecanoic acid (PFTrDA)	ND		50.3	45.4		ng/L		90	70 - 130
9-Chlorohexadecafluoro-3-oxanone-1-sulfonic acid(9Cl-PF3ONS)	ND		47.0	44.7		ng/L		95	70 - 130
11-Chloroheicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		47.5	43.8		ng/L		92	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		47.5	43.9		ng/L		92	70 - 130

<i>Surrogate</i>	<i>MS %Recovery</i>	<i>MS Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	98		70 - 130
13C2 PFHxA	105		70 - 130
13C2 PFDA	97		70 - 130
13C3-GenX	100		70 - 130

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

Lab Sample ID: 380-44565-F-2-A MSD
Matrix: Water
Analysis Batch: 38821

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 38612

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	ND		50.2	45.2		ng/L		90	70 - 130	1	30
Perfluorooctanesulfonic acid (PFOS)	ND		46.5	47.3		ng/L		102	70 - 130	3	30
Perfluoroundecanoic acid (PFUnA)	ND		50.2	43.6		ng/L		87	70 - 130	3	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND		50.2	47.9		ng/L		95	70 - 130	1	30
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND		50.2	49.6		ng/L		99	70 - 130	2	30
Perfluorohexanoic acid (PFHxA)	ND		50.2	50.1		ng/L		100	70 - 130	3	30
Perfluorododecanoic acid (PFDoA)	ND		50.2	45.3		ng/L		90	70 - 130	3	30
Perfluorooctanoic acid (PFOA)	ND		50.2	50.3		ng/L		100	70 - 130	5	30
Perfluorodecanoic acid (PFDA)	ND		50.2	44.9		ng/L		89	70 - 130	4	30
Perfluorohexanesulfonic acid (PFHxS)	ND		45.8	47.3		ng/L		103	70 - 130	5	30
Perfluorobutanesulfonic acid (PFBS)	ND		44.4	45.6		ng/L		103	70 - 130	8	30
Perfluoroheptanoic acid (PFHpA)	ND		50.2	47.7		ng/L		95	70 - 130	1	30
Perfluorononanoic acid (PFNA)	ND		50.2	53.6		ng/L		107	70 - 130	5	30
Perfluorotetradecanoic acid (PFTA)	ND		50.2	43.6		ng/L		87	70 - 130	5	30
Perfluorotridecanoic acid (PFTrDA)	ND		50.2	43.2		ng/L		86	70 - 130	5	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	ND		46.9	46.0		ng/L		98	70 - 130	3	30
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	ND		47.4	44.8		ng/L		94	70 - 130	2	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND		47.4	42.9		ng/L		90	70 - 130	2	30

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
d5-NEtFOSAA	94		70 - 130
13C2 PFHxA	107		70 - 130
13C2 PFDA	93		70 - 130
13C3-GenX	102		70 - 130

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i

Lab Sample ID: 106240-B1
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
1-Methylphenanthrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
2,3,5-Trimethylnaphthalene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
2,6-Dimethylnaphthalene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
2-Methylnaphthalene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 106240-B1
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Acenaphthylene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Anthracene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benz[a]anthracene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benzo[a]pyrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benzo[b]fluoranthene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benzo[e]pyrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benzo[g,h,i]perylene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Benzo[k]fluoranthene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Biphenyl	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Chrysene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Dibenz[a,h]anthracene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Dibenzo[a,l]pyrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Dibenzothiophene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Disalicylidenepropanediamine	ND		0.1	0.05	µg/L		04/20/23 00:00	05/03/23 14:12	1
Fluoranthene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Fluorene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Indeno[1,2,3-cd]pyrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Naphthalene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Perylene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Phenanthrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Pyrene	ND		0.005	0.001	µg/L		04/20/23 00:00	05/03/23 14:12	1
Surrogate	Blank %Recovery	Blank Qualifier	Limits				Prepared	Analyzed	Dil Fac
(d10-Acenaphthene)	78		27 - 133				04/20/23 00:00	05/03/23 14:12	1
(d10-Phenanthrene)	81		43 - 129				04/20/23 00:00	05/03/23 14:12	1
(d12-Chrysene)	64		52 - 144				04/20/23 00:00	05/03/23 14:12	1
(d12-Perylene)	81		36 - 161				04/20/23 00:00	05/03/23 14:12	1
(d8-Naphthalene)	78		25 - 125				04/20/23 00:00	05/03/23 14:12	1

Lab Sample ID: 106240-BS1
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1-Methylnaphthalene	0.5	0.364		µg/L		73	31 - 128
1-Methylphenanthrene	0.5	0.377		µg/L		75	66 - 127
2,3,5-Trimethylnaphthalene	0.5	0.395		µg/L		79	55 - 122
2,6-Dimethylnaphthalene	0.5	0.379		µg/L		76	48 - 120
2-Methylnaphthalene	0.5	0.298		µg/L		60	47 - 130
Acenaphthene	0.5	0.414		µg/L		83	53 - 131
Acenaphthylene	0.5	0.371		µg/L		74	43 - 140
Anthracene	0.5	0.39		µg/L		78	58 - 135
Benz[a]anthracene	0.5	0.282		µg/L		56	55 - 145
Benzo[a]pyrene	0.5	0.413		µg/L		83	51 - 143
Benzo[b]fluoranthene	0.5	0.347		µg/L		69	46 - 165
Benzo[e]pyrene	0.5	0.365		µg/L		73	42 - 152
Benzo[g,h,i]perylene	0.5	0.363		µg/L		73	63 - 133

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 106240-BS1
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzo[k]fluoranthene	0.5	0.38		µg/L		76	56 - 145
Biphenyl	0.5	0.347		µg/L		69	56 - 119
Chrysene	0.5	0.319		µg/L		64	56 - 141
Dibenz[a,h]anthracene	0.5	0.38		µg/L		76	55 - 150
Dibenzo[a,l]pyrene	0.5	0.53		µg/L		106	50 - 150
Dibenzothiophene	0.5	0.394		µg/L		79	46 - 126
Disalicylideneprapanediamine	50	41.9		µg/L		84	50 - 150
Fluoranthene	0.5	0.471		µg/L		94	60 - 146
Fluorene	0.5	0.392		µg/L		78	58 - 131
Indeno[1,2,3-cd]pyrene	0.5	0.384		µg/L		77	50 - 151
Naphthalene	0.5	0.362		µg/L		72	41 - 126
Perylene	0.5	0.408		µg/L		82	48 - 141
Phenanthrene	0.5	0.418		µg/L		84	67 - 127
Pyrene	0.5	0.467		µg/L		93	54 - 156

Surrogate	LCS %Recovery	LCS Qualifier	Limits
(d10-Acenaphthene)	77		27 - 133
(d10-Phenanthrene)	78		43 - 129
(d12-Chrysene)	60		52 - 144
(d12-Perylene)	78		36 - 161
(d8-Naphthalene)	68		25 - 125

Lab Sample ID: 106240-BS2
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Spike Added	LCS DUP Result	LCS DUP Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1-Methylnaphthalene	0.5	0.372		µg/L		74	31 - 128	1	30
1-Methylphenanthrene	0.5	0.369		µg/L		74	66 - 127	1	30
2,3,5-Trimethylnaphthalene	0.5	0.424		µg/L		85	55 - 122	7	30
2,6-Dimethylnaphthalene	0.5	0.37		µg/L		74	48 - 120	3	30
2-Methylnaphthalene	0.5	0.327		µg/L		65	47 - 130	8	30
Acenaphthene	0.5	0.405		µg/L		81	53 - 131	2	30
Acenaphthylene	0.5	0.397		µg/L		79	43 - 140	7	30
Anthracene	0.5	0.399		µg/L		80	58 - 135	3	30
Benz[a]anthracene	0.5	0.321		µg/L		64	55 - 145	13	30
Benzo[a]pyrene	0.5	0.38		µg/L		76	51 - 143	9	30
Benzo[b]fluoranthene	0.5	0.334		µg/L		67	46 - 165	3	30
Benzo[e]pyrene	0.5	0.362		µg/L		72	42 - 152	1	30
Benzo[g,h,i]perylene	0.5	0.391		µg/L		78	63 - 133	7	30
Benzo[k]fluoranthene	0.5	0.386		µg/L		77	56 - 145	1	30
Biphenyl	0.5	0.366		µg/L		73	56 - 119	6	30
Chrysene	0.5	0.318		µg/L		64	56 - 141	0	30
Dibenz[a,h]anthracene	0.5	0.404		µg/L		81	55 - 150	6	30
Dibenzo[a,l]pyrene	0.5	0.464		µg/L		93	50 - 150	13	30
Dibenzothiophene	0.5	0.389		µg/L		78	46 - 126	1	30
Disalicylideneprapanediamine	50	32.9		µg/L		66	50 - 150	24	30
Fluoranthene	0.5	0.446		µg/L		89	60 - 146	5	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 625 PAH Physis LL (EAL) + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 106240-BS2
Matrix: BlankMatrix
Analysis Batch: O-41040

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: O-41040_P

Analyte	Spike Added	LCS DUP Result	LCS DUP Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluorene	0.5	0.417		µg/L		83	58 - 131	6	30
Indeno[1,2,3-cd]pyrene	0.5	0.371		µg/L		74	50 - 151	4	30
Naphthalene	0.5	0.377		µg/L		75	41 - 126	4	30
Perylene	0.5	0.353		µg/L		71	48 - 141	14	30
Phenanthrene	0.5	0.404		µg/L		81	67 - 127	4	30
Pyrene	0.5	0.418		µg/L		84	54 - 156	10	30

Surrogate	LCS DUP %Recovery	LCS DUP Qualifier	Limits
(d10-Acenaphthene)	78		27 - 133
(d10-Phenanthrene)	74		43 - 129
(d12-Chrysene)	64		52 - 144
(d12-Perylene)	81		36 - 161
(d8-Naphthalene)	73		25 - 125

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Lab Sample ID: 23VG39D12B
Matrix: WATER
Analysis Batch: 23VG39D12

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.020		mg/L			04/25/23 12:38	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE					04/25/23 12:38	1

Lab Sample ID: 23VG39D12L
Matrix: WATER
Analysis Batch: 23VG39D12

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
GASOLINE	0.500	0.508		mg/L		102	60 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
BROMOFLUOROBENZENE	117		70 - 130

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Lab Sample ID: 23DSD033WB
Matrix: WATER
Analysis Batch: 23DSD033W

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DIESEL	ND	U	0.025		mg/L			04/28/23 15:42	1
JP5	ND	U	0.050		mg/L			04/28/23 15:42	1
JP8	ND	U	0.050		mg/L			04/28/23 15:42	1
MOTOR OIL	ND	U	0.050		mg/L			04/28/23 15:42	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO (Continued)

Lab Sample ID: 23DSD033WB
Matrix: WATER
Analysis Batch: 23DSD033W

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
BROMOBENZENE					04/28/23 15:42	1
HEXACOSANE					04/28/23 15:42	1

Lab Sample ID: 23DSD033WL
Matrix: WATER
Analysis Batch: 23DSD033W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
BROMOBENZENE	66		60 - 130
HEXACOSANE	90		60 - 130

Lab Sample ID: 23J5D033WL
Matrix: WATER
Analysis Batch: 23DSD033W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
BROMOBENZENE	72		60 - 130
HEXACOSANE	79		60 - 130

Lab Sample ID: 23J8D033WL
Matrix: WATER
Analysis Batch: 23DSD033W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
BROMOBENZENE	97		60 - 130
HEXACOSANE	80		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

GC/MS Semi VOA

Prep Batch: 37830

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	525.2	
MB 380-37830/1-A	Method Blank	Total/NA	Water	525.2	
LCS 380-37830/3-A	Lab Control Sample	Total/NA	Water	525.2	
LCSD 380-37830/4-A	Lab Control Sample Dup	Total/NA	Water	525.2	
MRL 380-37830/2-A	Lab Control Sample	Total/NA	Water	525.2	
380-44345-A-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-44421-BA-1-A DU	Duplicate	Total/NA	Water	525.2	

Analysis Batch: 37985

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	525.2	37830
MB 380-37830/1-A	Method Blank	Total/NA	Water	525.2	37830
LCS 380-37830/3-A	Lab Control Sample	Total/NA	Water	525.2	37830
LCSD 380-37830/4-A	Lab Control Sample Dup	Total/NA	Water	525.2	37830
MRL 380-37830/2-A	Lab Control Sample	Total/NA	Water	525.2	37830
380-44345-A-1-A MS	Matrix Spike	Total/NA	Water	525.2	37830
380-44421-BA-1-A DU	Duplicate	Total/NA	Water	525.2	37830

LCMS

Prep Batch: 38612

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	537.1 DW	
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	537.1 DW	
MBL 380-38612/21-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-38612/23-A	Lab Control Sample	Total/NA	Water	537.1 DW	
LCSD 380-38612/24-A	Lab Control Sample Dup	Total/NA	Water	537.1 DW	
MRL 380-38612/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-44565-E-2-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-44565-F-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

Analysis Batch: 38821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	537.1	38612
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	537.1	38612
MBL 380-38612/21-A	Method Blank	Total/NA	Water	537.1	38612
LCS 380-38612/23-A	Lab Control Sample	Total/NA	Water	537.1	38612
LCSD 380-38612/24-A	Lab Control Sample Dup	Total/NA	Water	537.1	38612
MRL 380-38612/22-A	Lab Control Sample	Total/NA	Water	537.1	38612
380-44565-E-2-A MS	Matrix Spike	Total/NA	Water	537.1	38612
380-44565-F-2-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1	38612

Subcontract

Analysis Batch: O-41040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	625 PAH Physis LL (EAL) + TICs	O-41040_P
106240-B1	Method Blank	Total/NA	BlankMatrix	625 PAH Physis LL (EAL) + TICs	O-41040_P
106240-BS1	Lab Control Sample	Total/NA	BlankMatrix	625 PAH Physis LL (EAL) + TICs	O-41040_P

Eurofins Eaton Analytical Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Subcontract (Continued)

Analysis Batch: O-41040 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
106240-BS2	Lab Control Sample Dup	Total/NA	BlankMatrix	625 PAH Physis LL (EAL) + TICs	O-41040_P

Analysis Batch: 23DSD033W

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	8015 LL DRO/MRO/JP5/J P8	
23DSD033WB	Method Blank	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	
23DSD033WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	
23J5D033WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	
23J8D033WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	

Analysis Batch: 23VG39D12

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	8015 Gas (Purgeable) LL (EAL)	
380-44586-2	TB: AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Water	8015 Gas (Purgeable) LL (EAL)	
23VG39D12B	Method Blank	Total/NA	WATER	8015 Gas (Purgeable) LL (EAL)	
23VG39D12L	Lab Control Sample	Total/NA	WATER	8015 Gas (Purgeable) LL (EAL)	

Prep Batch: O-41040_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Total/NA	Drinking Water	EPA_625	
106240-B1	Method Blank	Total/NA	BlankMatrix	EPA_625	
106240-BS1	Lab Control Sample	Total/NA	BlankMatrix	EPA_625	
106240-BS2	Lab Control Sample Dup	Total/NA	BlankMatrix	EPA_625	

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Client Sample ID: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-1

Date Collected: 04/19/23 11:00

Matrix: Drinking Water

Date Received: 04/21/23 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	525.2			37830	OTM3	EA POM	04/25/23 08:15
Total/NA	Analysis	525.2		1	37985	Q8LA	EA POM	04/26/23 12:12
Total/NA	Prep	537.1 DW			38612	US1B	EA POM	05/01/23 09:50
Total/NA	Analysis	537.1		1	38821	UKDT	EA POM	05/02/23 21:26
Total/NA	Prep	EPA_625		1	O-41040_P			04/25/23 00:00
Total/NA	Analysis	625 PAH Physis LL (EAL) + TICs		1	O-41040	YC		05/04/23 00:34
Total/NA	Analysis	8015 Gas (Purgeable) LL (EAL)		1	23VG39D12	SCerva		04/25/23 16:53
Total/NA	Analysis	8015 LL DRO/MRO/JP5/JP8		1	23DSD033W	SDees		04/28/23 20:03

Client Sample ID: TB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-2

Date Collected: 04/19/23 11:00

Matrix: Water

Date Received: 04/21/23 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015 Gas (Purgeable) LL (EAL)		1	23VG39D12	SCerva		04/25/23 17:29

Client Sample ID: FB: AIEA WELLS PUMPS 1&2 (260) P2

Lab Sample ID: 380-44586-3

Date Collected: 04/19/23 11:00

Matrix: Water

Date Received: 04/21/23 09:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	537.1 DW			38612	US1B	EA POM	05/01/23 09:50
Total/NA	Analysis	537.1		1	38821	UKDT	EA POM	05/02/23 21:36

Laboratory References:

= Physis Environmental Laboratories, 1904 Wright Circle, Anaheim, CA 92806

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	02-29-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	2,4'-DDD
525.2	525.2	Drinking Water	2,4'-DDE
525.2	525.2	Drinking Water	2,4'-DDT
525.2	525.2	Drinking Water	2,4-Dinitrotoluene
525.2	525.2	Drinking Water	2,6-Dinitrotoluene
525.2	525.2	Drinking Water	4,4'-DDD
525.2	525.2	Drinking Water	4,4'-DDE
525.2	525.2	Drinking Water	4,4'-DDT
525.2	525.2	Drinking Water	Acenaphthene
525.2	525.2	Drinking Water	Acenaphthylene
525.2	525.2	Drinking Water	Acetochlor
525.2	525.2	Drinking Water	alpha-BHC
525.2	525.2	Drinking Water	alpha-Chlordane
525.2	525.2	Drinking Water	Anthracene
525.2	525.2	Drinking Water	Benz(a)anthracene
525.2	525.2	Drinking Water	Benzo[b]fluoranthene
525.2	525.2	Drinking Water	Benzo[g,h,i]perylene
525.2	525.2	Drinking Water	Benzo[k]fluoranthene
525.2	525.2	Drinking Water	beta-BHC
525.2	525.2	Drinking Water	Bromacil
525.2	525.2	Drinking Water	Butylbenzylphthalate
525.2	525.2	Drinking Water	Caffeine
525.2	525.2	Drinking Water	Chlorobenzilate
525.2	525.2	Drinking Water	Chloroneb
525.2	525.2	Drinking Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Drinking Water	Chlorpyrifos
525.2	525.2	Drinking Water	Chrysene
525.2	525.2	Drinking Water	delta-BHC
525.2	525.2	Drinking Water	Diazinon (Qualitative)
525.2	525.2	Drinking Water	Dibenz(a,h)anthracene
525.2	525.2	Drinking Water	Diclorvos (DDVP)
525.2	525.2	Drinking Water	Diethylphthalate
525.2	525.2	Drinking Water	Dimethoate
525.2	525.2	Drinking Water	Dimethylphthalate
525.2	525.2	Drinking Water	Di-n-butyl phthalate
525.2	525.2	Drinking Water	Di-n-octyl phthalate
525.2	525.2	Drinking Water	Endosulfan I (Alpha)
525.2	525.2	Drinking Water	Endosulfan II (Beta)
525.2	525.2	Drinking Water	Endosulfan sulfate
525.2	525.2	Drinking Water	Endrin aldehyde
525.2	525.2	Drinking Water	EPTC
525.2	525.2	Drinking Water	Fluoranthene
525.2	525.2	Drinking Water	Fluorene
525.2	525.2	Drinking Water	gamma-Chlordane
525.2	525.2	Drinking Water	Indeno[1,2,3-cd]pyrene

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-44586-1

Laboratory: Eurofins Eaton Analytical Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Drinking Water	Isophorone
525.2	525.2	Drinking Water	Malathion
525.2	525.2	Drinking Water	Molinate
525.2	525.2	Drinking Water	Naphthalene
525.2	525.2	Drinking Water	Parathion
525.2	525.2	Drinking Water	Pendimethalin (Penoxaline)
525.2	525.2	Drinking Water	Phenanthrene
525.2	525.2	Drinking Water	Pyrene
525.2	525.2	Drinking Water	Terbacil
525.2	525.2	Drinking Water	Terbutylazine
525.2	525.2	Drinking Water	Thiobencarb
525.2	525.2	Drinking Water	Total Permethrin (mixed isomers)
525.2	525.2	Drinking Water	trans-Nonachlor
525.2	525.2	Drinking Water	Trifluralin
537.1	537.1 DW	Drinking Water	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)
537.1	537.1 DW	Drinking Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)
537.1	537.1 DW	Drinking Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)
537.1	537.1 DW	Drinking Water	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)
537.1	537.1 DW	Water	11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)
537.1	537.1 DW	Water	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)
537.1	537.1 DW	Water	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)
537.1	537.1 DW	Water	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Method	Method Description	Protocol	Laboratory
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
537.1	Perfluorinated Alkyl Acids (LC/MS)	EPA	EA POM
625	EPA 625 Base/Neutral and Acid Organics i	EPA	
8015	8015 - TPH DRO/ORO	EPA	
8015B	SW846 8015B Gasoline Range Organics	SW846	
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

= Physis Environmental Laboratories, 1904 Wright Circle, Anaheim, CA 92806

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-44586-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-44586-1	AIEA WELLS PUMPS 1&2 (260) P2	Drinking Water	04/19/23 11:00	04/21/23 09:25	HI0000331
380-44586-2	TB: AIEA WELLS PUMPS 1&2 (260) P2	Water	04/19/23 11:00	04/21/23 09:25	
380-44586-3	FB: AIEA WELLS PUMPS 1&2 (260) P2	Water	04/19/23 11:00	04/21/23 09:25	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18



3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 05-22-2023
EMAX Batch No.: 23D273

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 380-44586

Enclosed is the Laboratory report for samples received on 04/24/23.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
380-44586-1	D273-01	04/19/23	WATER	TPH GASOLINE TPH
380-44586-2	D273-02	04/19/23	WATER	TPH GASOLINE

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.

Sincerely yours,

Caspar J. Pang
Caspar J. Pang
Laboratory Director


This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912022-24
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

23D273

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)
 Client Contact: Rachelle Arada
 Shipping/Receiving: rachelle.arada@et-eurofins.com
 Company: EMAX Laboratories Inc
 Address: 3051 Fujita Street, Torrance, CA, 90505
 City: Torrance
 State: CA, Zip: 90505
 Phone: [Blank]
 Email: [Blank]
 Project Name: RED-HILL
 Project #: 38001111
 SSOW#: [Blank]
 Site: Honolulu BWS Sites

Lab PM: Arada, Rachelle
E-Mail: rachelle.arada@et-eurofins.com
Carrier Tracking No(s): 380-49420-1
State of Origin: Hawaii
Page: Page 1 of 1
Job #: 380-44586-1
Preservation Codes:
 A - HCL
 B - NaOH
 C - Zn Acetate
 D - Nitric Acid
 E - NaHSO4
 F - MeOH
 G - Amchlor
 H - Ascorbic Acid
 I - Ice
 J - DI Water
 K - EDTA
 L - EDA
 Other: [Blank]
 M - Hexane
 N - None
 O - AsNaO2
 P - Na2O4S
 Q - Na2SO3
 R - Na2S2O3
 S - H2SO4
 T - TSP Dodecahydrate
 U - Acetone
 V - MCPAA
 W - pH 4-5
 Y - Trizma
 Z - other (specify)

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (w/water, S=solid, O=water/dil)	Preservation Code:	Field Filtered Sample (Yes or No)		Perform MSMSP (Yes or No)		SUB (8015 Gas (Purgeable) LL (EAL)/ 8015 Gas (Purgeable) LL (EAL))		SUB (8015 LL DROM/RO/PS/PS/PS)		Total Number of containers	Special Instructions/Note:
						Field Filtered Sample (Yes or No)	Perform MSMSP (Yes or No)	SUB (8015 Gas (Purgeable) LL (EAL)/ 8015 Gas (Purgeable) LL (EAL))	SUB (8015 LL DROM/RO/PS/PS/PS)						
AIEA WELLS PUMPS 1&2 (260) (380-44586-1)	4/19/23	11:00 Hawaiian	Water	Water	X	X	X	X	X	X	X	X	6	See Attached Instructions	
TB: AIEA WELLS PUMPS 1&2 (260) (380-44586-2)	4/19/23	11:00 Hawaiian	Water	Water	X	X	X	X	X	X	X	X	2	See Attached Instructions	

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Date: [Blank]
 Method of Shipment: [Blank]
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months
 Special Instructions/QC Requirements: [Blank]
 Date/Time: 4/24/23 16:30
 Received by: [Signature]
 Company: EMAX
 Date/Time: [Blank]
 Received by: [Blank]
 Company: [Blank]
 Date/Time: [Blank]
 Received by: [Blank]
 Company: [Blank]
 Cooler Temperature(s) °C and Other Remarks: 4.8/4.6 [CF: 0.2]



REFERENCE: EMAX-SM02 Rev. 12
SAMPLE RECEIPT FORM 1

Type of Delivery <input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others <input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery	Airbill / Tracking Number	ECN 23D273 Recipient <u>Jocelyne Solis-Ramos</u> Date <u>04/24/23</u> Time <u>16:30</u>
---	---------------------------	---

COC INSPECTION

<input checked="" type="checkbox"/> Client Name	<input checked="" type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input type="checkbox"/> Sample ID	<input checked="" type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any)	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

Note: _____

PACKAGING INSPECTION

Container	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition <u>correction</u>	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging <u>factor: -0.2</u>	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures (Cool, ≤6 °C but not frozen)	<input checked="" type="checkbox"/> Cooler <u>14.8/16°C</u>	<input type="checkbox"/> Cooler 2 _____ °C	<input type="checkbox"/> Cooler 3 _____ °C
Thermometer: <u>A - S/N 221052768</u>	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 8 _____ °C
	<input type="checkbox"/> Cooler 9 _____ °C	<input type="checkbox"/> Cooler 10 _____ °C	<input type="checkbox"/> Cooler 11 _____ °C

Comments: Temperature is out of range. PM was informed IMMEDIATELY.
Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
<u>2</u>	<u>7, 8</u>	<u>D22</u>	<u>2nd date reads: 4/16/23</u>	<u>RT</u>
<u>1</u>	<u>5, 6</u>	<u>D1</u>	<u>JPS/JPS not on label</u>	<u>J</u>
<i>[Large diagonal scribble across the table]</i>				

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time. MB 4/26/23

NOTES/OBSERVATIONS:
SAMPLE MATRIX IS DRINKING WATER? YES NO

- LEGEND:**
- | | | |
|--|---|--|
| <p>Code Description-Sample Management</p> <ul style="list-style-type: none"> <u>D1</u> Analysis is not indicated in <u>label</u> D2 Analysis mismatch COC vs label D3 Sample ID mismatch COC vs label D4 Sample ID is not indicated in _____ D5 Container -[improper] [leaking] [broken] D6 Date/Time is not indicated in _____ D7 Date/Time mismatch COC vs label D8 Sample listed in COC is not received D9 Sample received is not listed in COC D10 No initial/date on corrections in COC/label D11 Container count mismatch COC vs received D12 Container size mismatch COC vs received | <p>Code Description-Sample Management</p> <ul style="list-style-type: none"> D13 Out of Holding Time D14 Bubble is >6mm D15 No trip blank in cooler D16 Preservation not indicated in _____ D17 Preservation mismatch COC vs label D18 Insufficient chemical preservative D19 Insufficient Sample D20 No filtration info for dissolved analysis D21 No sample for moisture determination <u>D22</u> <u>2nd date on label is incorrect</u> D23 _____ D24 _____ | <p><input type="checkbox"/> Continue to next page.</p> <p>Code Description-Sample Management</p> <ul style="list-style-type: none"> R1 Proceed as indicated in <input checked="" type="checkbox"/> COC <input type="checkbox"/> Label R2 Refer to attached instruction R3 Cancel the analysis R4 Use vial with smallest bubble first R5 Log-in with latest sampling date and time± 1 min R6 Adjust pH as necessary R7 Filter and preserved as necessary R8 _____ R9 _____ R10 _____ R11 _____ R12 _____ |
|--|---|--|

REVIEWS:

Sample Labeling <u>Maria Rivera</u>	SRF <u>[Signature]</u>	PM <u>[Signature]</u>
Date <u>04/24/23</u>	Date <u>4/25/23</u>	Date <u>4/26/23</u>

REPORT ID: 23D273 Page 3 of 35

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

380-44586

**METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP**

SDG#: 23D273



CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-44586

SDG : 23D273

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of two(2) water samples were received on 04/24/23 to be analyzed for Total Petroleum Hydrocarbons by Purge And Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VG39D12B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VG39D12L/VG39D12C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in D234-01M/D234-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL
 Project : 380-44586
 SDG NO. : 23D273
 Instrument ID : GCT039

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis Date/Time	Extraction Date/Time	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
					WATER				
MBLK1W	VG39D12B	1	NA	04/25/2312:38	04/25/2312:38	ED25005A	ED25004A	23VG39D12	Method Blank
LCS1W	VG39D12L	1	NA	04/25/2313:14	04/25/2313:14	ED25006A	ED25004A	23VG39D12	Lab Control Sample (LCS)
LCD1W	VG39D12C	1	NA	04/25/2313:51	04/25/2313:51	ED25007A	ED25004A	23VG39D12	LCS Duplicate
380-44586-1	D273-01	1	NA	04/25/2316:53	04/25/2316:53	ED25012A	ED25004A	23VG39D12	Field Sample
380-44586-2	D273-02	1	NA	04/25/2317:29	04/25/2317:29	ED25013A	ED25004A	23VG39D12	Field Sample

FN - Filename
 % Moist - Percent Moisture



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

SAMPLE RESULTS

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL	Date Collected: 04/19/23 11:00
Project : 380-44586	Date Received: 04/24/23
Batch No. : 23D273	Date Extracted: 04/25/23 16:53
Sample ID : 380-44586-1	Date Analyzed: 04/25/23 16:53
Lab Samp ID: D273-01	Dilution Factor: 1
Lab File ID: ED25012A	Matrix: WATER
Ext Btch ID: 23VG39D12	% Moisture: NA
Calib. Ref.: ED25004A	Instrument ID: 39

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0342	0.0400	86	60-140

Notes:

Parameter H-C Range
Gasoline C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml	Final Volume : 5ml
Prepared by : SCerva	Analyzed by : SCerva

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL	Date Collected: 04/19/23 11:00
Project : 380-44586	Date Received: 04/24/23
Batch No. : 23D273	Date Extracted: 04/25/23 17:29
Sample ID : 380-44586-2	Date Analyzed: 04/25/23 17:29
Lab Samp ID: D273-02	Dilution Factor: 1
Lab File ID: ED25013A	Matrix: WATER
Ext Btch ID: 23VG39D12	% Moisture: NA
Calib. Ref.: ED25004A	Instrument ID: 39

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
GASOLINE	ND	0.020	0.010

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0345	0.0400	86	60-140

Notes:

Parameter H-C Range

Gasoline C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml

Final Volume : 5ml

Prepared by : SCerva

Analyzed by : SCerva

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

QC SUMMARIES

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL	Date Collected: 04/25/23 12:38
Project : 380-44586	Date Received: 04/25/23
Batch No. : 23D273	Date Extracted: 04/25/23 12:38
Sample ID : MBLK1W	Date Analyzed: 04/25/23 12:38
Lab Samp ID: VG39D12B	Dilution Factor: 1
Lab File ID: ED25005A	Matrix: WATER
Ext Btch ID: 23VG39D12	% Moisture: NA
Calib. Ref.: ED25004A	Instrument ID: 39

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
GASOLINE	ND	0.020	0.010	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromofluorobenzene	0.0368	0.0400	92	60-140

Notes:

Parameter H-C Range
Gasoline C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml	Final Volume : 5ml
Prepared by : SCerva	Analyzed by : SCerva

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44586
BATCH NO. : 23D273
METHOD : 5030B/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VG39D12B	VG39D12L	VG39D12C
LAB FILE ID	: ED25005A	ED25006A	ED25007A
DATE PREPARED	: 04/25/23 12:38	04/25/23 13:14	04/25/23 13:51
DATE ANALYZED	: 04/25/23 12:38	04/25/23 13:14	04/25/23 13:51
PREP BATCH	: 23VG39D12	23VG39D12	23VG39D12
CALIBRATION REF:	ED25004A	ED25004A	ED25004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.508	102	0.500	0.506	101	0	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0466	117	0.0400	0.0478	120	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44261
BATCH NO. : 23D234
METHOD : 5030B/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: 380-44261-1	380-44261-1MS	380-44261-1MSD
LAB SAMPLE ID	: D234-01	D234-01M	D234-01S
LAB FILE ID	: ED25008A	ED25009A	ED25010A
DATE PREPARED	: 04/25/23 14:27	04/25/23 15:05	04/25/23 15:41
DATE ANALYZED	: 04/25/23 14:27	04/25/23 15:05	04/25/23 15:41
PREP BATCH	: 23VG39D12	23VG39D12	23VG39D12
CALIBRATION REF:	ED25004A	ED25004A	ED25004A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.461	92	0.500	0.474	95	3	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0456	114	0.0400	0.0456	114	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

380-44586

**METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION**

SDG#: 23D273



CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-44586

SDG : 23D273

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 04/24/23 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSD033WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSD033WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 23D232-01M/23D232-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-44586

SDG : 23D273

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 04/24/23 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSD033WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP5 was within LCS QC limits in J5D033WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. JP5 was within MS QC limits in 23D232-01M/23D232-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-44586

SDG : 23D273

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 04/24/23 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSD033WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP8 was within LCS QC limits in J8D033WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. JP8 was within MS QC limits in 23D234-01M/23D234-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis


The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
 Project : 380-44586
 SDG NO. : 23D273
 Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis Date/Time	WATER			Notes
					Extraction Date/Time	Sample Data FN	Calibration Data FN	
MBLK1W	DSD033WB	1	NA	04/28/2315:42	04/27/2314:30	LD28009A	LD28003A	23DSD033W Method Blank
LCS1W	DSD033WL	1	NA	04/28/2316:01	04/27/2314:30	LD28010A	LD28003A	23DSD033W Lab Control Sample (LCS)
380-44586-1	D273-01	1	NA	04/28/2320:03	04/27/2314:30	LD28023A	LD28003A	23DSD033W Field Sample

FN - Filename
 % Moist - Percent Moisture




LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
Project : 380-44586
SDG NO. : 23D273
Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
					WATER				
MBLK1W	DSD033WB	1	NA	04/28/2315:42	04/27/2314:30	LD28009A	LD28004A	23DSD033W	Method Blank
LCS1W	J5D033WL	1	NA	04/28/2316:20	04/27/2314:30	LD28011A	LD28004A	23DSD033W	Lab Control Sample (LCS)
380-44586-1	D273-01	1	NA	04/28/2320:03	04/27/2314:30	LD28023A	LD28004A	23DSD033W	Field Sample

FN - Filename
% Moist - Percent Moisture



LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

SDG NO. : 23D273
Instrument ID : D5

Client : EUROFINS EATON ANALYTICAL
Project : 380-44586

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
380-44586-1	DSD033MB	1	NA	04/28/2315:42	04/27/2314:30	LD28009A	LD28005A	23DSD033W	Method Blank
	J8D033WL	1	NA	04/28/2316:38	04/27/2314:30	LD28012A	LD28005A	23DSD033W	Lab Control Sample (LCS)
	D273-01	1	NA	04/28/2320:03	04/27/2314:30	LD28023A	LD28005A	23DSD033W	Field Sample

FN - Filename
% Moist - Percent Moisture



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

SAMPLE RESULTS

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL	Date Collected: 04/19/23 11:00
Project : 380-44586	Date Received: 04/24/23
Batch No. : 23D273	Date Extracted: 04/27/23 14:30
Sample ID : 380-44586-1	Date Analyzed: 04/28/23 20:03
Lab Samp ID: 23D273-01	Dilution Factor: 1
Lab File ID: LD28023A	Matrix: WATER
Ext Btch ID: 23DSD033W	% Moisture: NA
Calib. Ref.: LD28003A	Instrument ID: D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
Diesel	ND	0.027	0.013
Motor Oil	ND	0.053	0.027

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.376	0.530	71	60-130
Hexacosane	0.109	0.132	82	60-130

Notes:

Parameter	H-C Range
Diesel	C10-C24
Motor Oil	C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 940ml	Final Volume : 5ml
Prepared by : JMuert	Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

Client	: EUROFINS EATON ANALYTICAL	Date Collected:	04/19/23 11:00
Project	: 380-44586	Date Received:	04/24/23
Batch No.	: 23D273	Date Extracted:	04/27/23 14:30
Sample ID	: 380-44586-1	Date Analyzed:	04/28/23 20:03
Lab Samp ID:	23D273-01	Dilution Factor:	1
Lab File ID:	LD28023A	Matrix:	WATER
Ext Btch ID:	23DSD033W	% Moisture:	NA
Calib. Ref.:	LD28004A	Instrument ID:	D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
JP5	ND	0.053	0.027	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.376	0.530	71	60-130
Hexacosane	0.109	0.132	82	60-130

Notes:

RL : Reporting Limit

Parameter H-C Range

JP5 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 940ml

Final Volume : 5ml

Prepared by : JMuert

Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

Client	: EUROFINS EATON ANALYTICAL	Date Collected:	04/19/23 11:00
Project	: 380-44586	Date Received:	04/24/23
Batch No.	: 23D273	Date Extracted:	04/27/23 14:30
Sample ID	: 380-44586-1	Date Analyzed:	04/28/23 20:03
Lab Samp ID:	23D273-01	Dilution Factor:	1
Lab File ID:	LD28023A	Matrix:	WATER
Ext Btch ID:	23DSD033W	% Moisture:	NA
Calib. Ref.:	LD28005A	Instrument ID:	D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP8	ND	0.053	0.027

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.376	0.530	71	60-130
Hexacosane	0.109	0.132	82	60-130

Notes:

RL : Reporting Limit

Parameter H-C Range

JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 940ml

Final Volume : 5ml

Prepared by : JMuert

Analyzed by : SDeeso

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

QC SUMMARIES

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL	Date Collected: 04/27/23 14:30
Project : 380-44586	Date Received: 04/27/23
Batch No. : 23D273	Date Extracted: 04/27/23 14:30
Sample ID : MBLK1W	Date Analyzed: 04/28/23 15:42
Lab Samp ID: DSD033WB	Dilution Factor: 1
Lab File ID: LD28009A	Matrix: WATER
Ext Btch ID: 23DSD033W	% Moisture: NA
Calib. Ref.: LD28003A	Instrument ID: D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.025	0.012		
Motor Oil	ND	0.050	0.025		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.364	0.500	73	60-130	
Hexacosane	0.106	0.125	85	60-130	

Notes:

Parameter	H-C Range
Diesel	C10-C24
Motor Oil	C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml	Final Volume : 5ml
Prepared by : JMuert	Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44586
BATCH NO. : 23D273
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSD033WB DSD033WL
LAB FILE ID : LD28009A LD28010A
DATE PREPARED : 04/27/23 14:30 04/27/23 14:30
DATE ANALYZED : 04/28/23 15:42 04/28/23 16:01
PREP BATCH : 23DSD033W 23DSD033W
CALIBRATION REF: LD28003A LD28003A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.26	90	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.331	66	60-130
Hexacosane	0.125	0.113	90	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44256
BATCH NO. : 23D232
METHOD : 3520C/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: 380-44256-1	380-44256-1MS	380-44256-1MSD
LAB SAMPLE ID	: 23D232-01	23D232-01M	23D232-01S
LAB FILE ID	: LD28013A	LD28014A	LD28015A
DATE PREPARED	: 04/27/23 14:30	04/27/23 14:30	04/27/23 14:30
DATE ANALYZED	: 04/28/23 16:57	04/28/23 17:16	04/28/23 17:34
PREP BATCH	: 23DSD033W	23DSD033W	23DSD033W
CALIBRATION REF:	LD28003A	LD28003A	LD28003A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.72	2.39	88	2.62	2.45	93	2	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.545	0.379	70	0.525	0.388	74	60-130
Hexacosane	0.136	0.129	95	0.131	0.118	90	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

Client	: EUROFINS EATON ANALYTICAL	Date Collected:	04/27/23 14:30
Project	: 380-44586	Date Received:	04/27/23
Batch No.	: 23D273	Date Extracted:	04/27/23 14:30
Sample ID	: MBLK1W	Date Analyzed:	04/28/23 15:42
Lab Samp ID:	DSD033WB	Dilution Factor:	1
Lab File ID:	LD28009A	Matrix:	WATER
Ext Btch ID:	23DSD033W	% Moisture:	NA
Calib. Ref.:	LD28004A	Instrument ID:	D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
JP5	ND	0.050	0.025	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.364	0.500	73	60-130
Hexacosane	0.106	0.125	85	60-130

Notes:

RL : Reporting Limit

Parameter H-C Range

JP5 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml

Final Volume : 5ml

Prepared by : JMuert

Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44586
BATCH NO. : 23D273
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSD033WB J5D033WL
LAB FILE ID : LD28009A LD28011A
DATE PREPARED : 04/27/23 14:30 04/27/23 14:30
DATE ANALYZED : 04/28/23 15:42 04/28/23 16:20
PREP BATCH : 23DSD033W 23DSD033W
CALIBRATION REF: LD28004A LD28004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP5	ND	2.50	2.23	89	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.362	72	60-130
Hexacosane	0.125	0.0986	79	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44256
BATCH NO. : 23D232
METHOD : 3520C/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: 380-44256-1	380-44256-1MS	380-44256-1MSD
LAB SAMPLE ID	: 23D232-01	23D232-01M	23D232-01S
LAB FILE ID	: LD28013A	LD28016A	LD28017A
DATE PREPARED	: 04/27/23 14:30	04/27/23 14:30	04/27/23 14:30
DATE ANALYZED	: 04/28/23 16:57	04/28/23 17:53	04/28/23 18:12
PREP BATCH	: 23DSD033W	23DSD033W	23DSD033W
CALIBRATION REF:	LD28004A	LD28004A	LD28004A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP5	ND	2.58	2.91	113	2.53	2.92	116	0	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.515	0.442	86	0.505	0.436	86	60-130
Hexacosane	0.129	0.107	83	0.126	0.105	83	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

Client	: EUROFINS EATON ANALYTICAL	Date Collected:	04/27/23 14:30
Project	: 380-44586	Date Received:	04/27/23
Batch No.	: 23D273	Date Extracted:	04/27/23 14:30
Sample ID	: MBLK1W	Date Analyzed:	04/28/23 15:42
Lab Samp ID:	DSD033WB	Dilution Factor:	1
Lab File ID:	LD28009A	Matrix:	WATER
Ext Btch ID:	23DSD033W	% Moisture:	NA
Calib. Ref.:	LD28005A	Instrument ID:	D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
JP8	ND	0.050	0.025	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.364	0.500	73	60-130
Hexacosane	0.106	0.125	85	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44586
BATCH NO. : 23D273
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSD033WB J8D033WL
LAB FILE ID : LD28009A LD28012A
DATE PREPARED : 04/27/23 14:30 04/27/23 14:30
DATE ANALYZED : 04/28/23 15:42 04/28/23 16:38
PREP BATCH : 23DSD033W 23DSD033W
CALIBRATION REF: LD28005A LD28005A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP8	ND	2.50	2.65	106	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.485	97	60-130
Hexacosane	0.125	0.100	80	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-44261
BATCH NO. : 23D234
METHOD : 3520C/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: 380-44261-1	380-44261-1MS	380-44261-1MSD
LAB SAMPLE ID	: 23D234-01	23D234-01M	23D234-01S
LAB FILE ID	: LD28019A	LD28020A	LD28021A
DATE PREPARED	: 04/27/23 14:30	04/27/23 14:30	04/27/23 14:30
DATE ANALYZED	: 04/28/23 18:49	04/28/23 19:07	04/28/23 19:26
PREP BATCH	: 23DSD033W	23DSD033W	23DSD033W
CALIBRATION REF:	LD28005A	LD28005A	LD28005A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP8	ND	2.53	2.03	80	2.58	2.65	103	26	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.505	0.379	75	0.515	0.493	96	60-130
Hexacosane	0.126	0.117	93	0.129	0.113	88	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

May 05, 2023

Rachelle Arada
Eurofins Eaton Analytical
750 Royal Oaks Drive
Suite 100
Monrovia, CA 91016-

Project Name: RED-HILL Project # 38001111 Job # 380-44586-1
Physis Project ID: 1407003-399

Dear Rachelle,


Enclosed are the analytical results for the sample submitted to PHYSIS Environmental Laboratories, Inc. (PHYSIS) on 4/24/2023. A total of 1 sample was received for analysis in accordance with the attached chain of custody (COC). Per the COC, the sample was analyzed for:

Organics
Polynuclear Aromatic Hydrocarbons by EPA 625.1
Disalicylidenepropanediamine by EPA 625.1
Dibenzo [a,l] Pyrene w/ PAHs by EPA 625.1

Analytical results in this report apply only to samples submitted to PHYSIS in accordance with the COC and are intended to be considered in their entirety.

Please feel free to contact me at any time with any questions. PHYSIS appreciates the opportunity to provide you with our analytical and support services.

Regards,



Misty Mercier
714 602-5320
Extension 202
mistymercier@physislabs.com

PROJECT SAMPLE LIST

Eurofins Eaton Analytical

PHYSIS Project ID: 1407003-399

RED-HILL Project # 38001111 Job # 380-44586-1

Total Samples: 1

PHYSIS ID	Sample ID	Description	Date	Time	Matrix	Sample Type
106241	AIEA WELLS PUMPS 1&2 (260)	380-44586-1	4/19/2023	11:00	Samplewater	Not Specified

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

ABBREVIATIONS and ACRONYMS

QM	Quality Manual
QA	Quality Assurance
QC	Quality Control
MDL	method detection limit
RL	reporting limit
R1	project sample
R2	project sample replicate
MS1	matrix spike
MS2	matrix spike replicate
B1	procedural blank
B2	procedural blank replicate
BS1	blank spike
BS2	blank spike replicate
LCS1	laboratory control spike
LCS2	laboratory control spike replicate
LCM1	laboratory control material
LCM2	laboratory control material replicate
CRM1	certified reference material
CRM2	certified reference material replicate
RPD	relative percent difference
LMW	low molecular weight
HMW	high molecular weight

QUALITY ASSURANCE SUMMARY

LABORATORY BATCH: Physis' QM defines a laboratory batch as a group of 20 or fewer project samples of similar matrix, processed together under the same conditions and with the same reagents. QC samples are associated with each batch and were used to assess the validity of the sample analyses.

PROCEDURAL BLANK: Laboratory contamination introduced during method use is assessed through the preparation and analysis of procedural blanks is provided at a minimum frequency of one per batch.

ACCURACY: Accuracy of analytical measurements is the degree of closeness based on percent recovery calculations between measured values and the actual or true value and includes a combination of reproducibility error and systematic bias due to sampling and analytical operations. Accuracy of the project data was indicated by analysis of MS, BS, LCS, LCM, CRM, and/or surrogate spikes on a minimum frequency of one per batch. Physis' QM requires that 95% of the target compounds greater than 10 times the MDL be within the specified acceptance limits.

PRECISION: Precision is the agreement among a set of replicate measurements without assumption of knowledge of the true value and is based on RPD calculations between repeated values. Precision of the project data was determined by analysis of replicate MS₁/MS₂, BS₁/BS₂, LCS₁/LCS₂, LCM₁/LCM₂, CRM₁/CRM₂, surrogate spikes and/or replicate project sample analysis (R₁/R₂) on a minimum frequency of one per batch. Physis' QM requires that for 95% of the compounds greater than 10 times the MDL, the percent RPD should be within the specified acceptance range.

BLANK SPIKES: BS is the introduction of a known concentration of analyte into the procedural blank. BS demonstrates performance of the preparation and analytical methods on a clean matrix void of potential matrix related interferences. The BS is performed in laboratory deionized water, making these recoveries a better indicator of the efficiency of the laboratory method per se.

MATRIX SPIKES: MS is the introduction of a known concentration of analyte into a sample. MS samples demonstrate the effect a particular project sample matrix has on the accuracy of a measurement. Individually, MS samples also indicate the bias of analytical measurements due to chemical interferences inherent in the in the specific project sample spiked. Intrinsic target analyte concentration in the specific project sample can also significantly impact MS recovery.

CERTIFIED REFERENCE MATERIALS: CRMs are materials of various matrices for which analytical information has been determined and certified by a recognized authority. These are used to provide a quantitative assessment of the accuracy of an analytical method. CRMs provide evidence that the laboratory preparation and analysis produces results that are comparable to those obtained by an independent organization.

LABORATORY CONTROL MATERIAL: LCM is provided because a suitable natural seawater CRM is not available and can be used to indicate accuracy of the method. Physis' internal LCM is seawater collected at ~800 meters in the Southern California San Pedro Basin and can be used as a reference for background concentrations in clean, natural seawater for comparison to project samples.

LABORATORY CONTROL SPIKES: LCS is the introduction of a known concentration of analyte into Physis' LCM. LCS samples were employed to assess the effect the seawater matrix has on the accuracy of a measurement. LCS also indicate the bias of this method due to chemical interferences inherent in the in the seawater matrix. Intrinsic LCM concentration can also significantly impact LCS recovery.

SURROGATES: A surrogate is a pure analyte unlikely to be found in any project sample, behaves similarly to

the target analyte and most often used with organic analytical procedures. Surrogates are added in known concentration to all samples and are measured to indicate overall efficiency of the method including processing and analyses.

HOLDING TIME: Method recommended holding times are the length of time a project sample can be stored under specific conditions after collection and prior to analysis without significantly affecting the analyte's concentration. Holding times can be extended if preservation techniques are employed to reduce biodegradation, volatilization, oxidation, sorption, precipitation, and other physical and chemical processes.

SAMPLE STORAGE/RETENTION: In order to maintain chemical integrity prior to analysis, all samples submitted to Physis are refrigerated (liquids) or frozen (solids) upon receipt unless otherwise recommended by applicable methods. Solid samples are retained for 1 year from collection while liquid samples are retained until method recommended holding times elapse.

TOTAL/DISSOLVED FRACTION: In some instances, the results for the dissolved fraction may be higher than the total fraction for a particular analyte (e.g. trace metals). This is typically caused by the analytical variation for each result and indicates that the target analyte is primarily in the dissolved phase, within the sample.

PHYSIS QUALIFIER CODES

CODE	DEFINITION
#	see Case Narrative
ND	analyte not detected at or above the MDL
B	analyte was detected in the procedural blank greater than 10 times the MDL
E	analyte concentration exceeds the upper limit of the linear calibration range, reported value is estimated
H	sample received and/or analyzed past the recommended holding time
J	analyte was detected at a concentration below the RL and above the MDL, reported value is estimated
N	insufficient sample, analysis could not be performed
M	analyte was outside the specified accuracy and/or precision acceptance limits due to matrix interference. The associated B/BS were within limits, therefore the sample data was reported without further clarification
SH	analyte concentration in the project sample exceeded the spike concentration, therefore accuracy and/or precision acceptance limits do not apply
SL	analyte results were lower than 10 times the MDL, therefore accuracy and/or precision acceptance limits do not apply
NH	project sample was heterogeneous and sample homogeneity could not be readily achieved using routine laboratory practices, therefore accuracy and/or precision acceptance limits do not apply
Q	analyte was outside the specified QAPP acceptance limits for precision and/or accuracy but within Physis derived acceptance limits, therefore the sample data was reported without further clarification
R	Physis' QM allows for 5% of the target compounds greater than 10 times the MDL to be outside the specified acceptance limits for precision and/or accuracy. This is often due to random error and does not indicate any significant problems with the analysis of these project samples

CASE NARRATIVE

QUALIFIER NOTES

In addition to the use of analyte specific Physis Qualifier Codes where applicable, the following were also noted.

ND

MDL is listed due to report format restrictions; it is not used in reporting. Analytical results reported are ND at the RL.

ANALYTICAL REPORT

TERRA AURA ENVIRONMENTAL LABORATORIES, INC.

Innovative Solutions for Nature

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Base/Neutral Extractable Compounds

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed	
Sample ID: 106241-R1	AIEA WELLS PUMPS 1&2 (260) 380- Matrix: Samplewater						Sampled:	19-Apr-23 11:00	Received:	24-Apr-23		
Disalicylidenepropanediamine	EPA 625.1	µg/L	ND	1	0.05	0.1	Total		O-41040	25-Apr-23	04-May-23	



Polynuclear Aromatic Hydrocarbons

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed	
Sample ID: 106241-R1	AIEA WELLS PUMPS 1&2 (260) 380- Matrix: Samplewater						Sampled:	19-Apr-23	11:00	Received:	24-Apr-23	
(d10-Acenaphthene)	EPA 625.1	% Recovery	76	1			Total		O-41040	25-Apr-23	04-May-23	
(d10-Phenanthrene)	EPA 625.1	% Recovery	79	1			Total		O-41040	25-Apr-23	04-May-23	
(d12-Chrysene)	EPA 625.1	% Recovery	67	1			Total		O-41040	25-Apr-23	04-May-23	
(d12-Perylene)	EPA 625.1	% Recovery	86	1			Total		O-41040	25-Apr-23	04-May-23	
(d8-Naphthalene)	EPA 625.1	% Recovery	70	1			Total		O-41040	25-Apr-23	04-May-23	
1-Methylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
1-Methylphenanthrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
2,3,5-Trimethylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
2,6-Dimethylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
2-Methylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Acenaphthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Acenaphthylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benz[a]anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benzo[a]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benzo[b]fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benzo[e]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benzo[g,h,i]perylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Benzo[k]fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Biphenyl	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Chrysene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Dibenz[a,h]anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Dibenzo[a,l]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	
Dibenzothiophene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23	

Polynuclear Aromatic Hydrocarbons

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed
Fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Fluorene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Indeno[1,2,3-cd]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Naphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Perylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Phenanthrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23
Pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total		O-41040	25-Apr-23	04-May-23

QUALITY CONTROL REPORT

TERRA ENVIRONMENTAL LABORATORIES, INC. AURA

Innovative Solutions for Nature

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Base/Neutral Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY		PRECISION		QA CODEc
							LEVEL	RESULT	%	LIMITS	%	LIMITS	
Sample ID: 106240-B1		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:		Received:			
		Method: EPA 625.1			Batch ID: O-41040			Prepared: 20-Apr-23		Analyzed: 03-May-23			
Disalicylidenepropanediamin	Total	ND	1	0.05	0.1	µg/L							
Sample ID: 106240-BS1		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:		Received:			
		Method: EPA 625.1			Batch ID: O-41040			Prepared: 20-Apr-23		Analyzed: 03-May-23			
Disalicylidenepropanediamin	Total	41.9	1	0.05	0.1	µg/L	50	0	84	50 - 150%	PASS		
Sample ID: 106240-BS2		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:		Received:			
		Method: EPA 625.1			Batch ID: O-41040			Prepared: 20-Apr-23		Analyzed: 03-May-23			
Disalicylidenepropanediamin	Total	32.9	1	0.05	0.1	µg/L	50	0	66	50 - 150%	PASS	24	30 PASS

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY	PRECISION	QA CODEc
							LEVEL	RESULT	% LIMITS	% LIMITS	
Sample ID: 106240-B1		QAQC Procedural Blank			Matrix: BlankMatrix		Sampled:		Received:		
	Method: EPA 625.1					Batch ID: O-41040	Prepared: 20-Apr-23	Analyzed: 03-May-23			
(d10-Acenaphthene)	Total	78	1			% Recovery	100	78	27 - 133%	PASS	
(d10-Phenanthrene)	Total	81	1			% Recovery	100	81	43 - 129%	PASS	
(d12-Chrysene)	Total	64	1			% Recovery	100	64	52 - 144%	PASS	
(d12-Perylene)	Total	81	1			% Recovery	100	81	36 - 161%	PASS	
(d8-Naphthalene)	Total	78	1			% Recovery	100	78	25 - 125%	PASS	
1-Methylnaphthalene	Total	ND	1	0.001	0.005	µg/L					
1-Methylphenanthrene	Total	ND	1	0.001	0.005	µg/L					
2,3,5-Trimethylnaphthalene	Total	ND	1	0.001	0.005	µg/L					
2,6-Dimethylnaphthalene	Total	ND	1	0.001	0.005	µg/L					
2-Methylnaphthalene	Total	ND	1	0.001	0.005	µg/L					
Acenaphthene	Total	ND	1	0.001	0.005	µg/L					
Acenaphthylene	Total	ND	1	0.001	0.005	µg/L					
Anthracene	Total	ND	1	0.001	0.005	µg/L					
Benz[a]anthracene	Total	ND	1	0.001	0.005	µg/L					
Benzo[a]pyrene	Total	ND	1	0.001	0.005	µg/L					
Benzo[b]fluoranthene	Total	ND	1	0.001	0.005	µg/L					
Benzo[e]pyrene	Total	ND	1	0.001	0.005	µg/L					
Benzo[g,h,i]perylene	Total	ND	1	0.001	0.005	µg/L					
Benzo[k]fluoranthene	Total	ND	1	0.001	0.005	µg/L					
Biphenyl	Total	ND	1	0.001	0.005	µg/L					
Chrysene	Total	ND	1	0.001	0.005	µg/L					
Dibenz[a,h]anthracene	Total	ND	1	0.001	0.005	µg/L					
Dibenzo[a,l]pyrene	Total	ND	1	0.001	0.005	µg/L					
Dibenzothiophene	Total	ND	1	0.001	0.005	µg/L					

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY		PRECISION		QA CODEc
							LEVEL	RESULT	%	LIMITS	%	LIMITS	
Fluoranthene	Total	ND	1	0.001	0.005	µg/L							
Fluorene	Total	ND	1	0.001	0.005	µg/L							
Indeno[1,2,3-cd]pyrene	Total	ND	1	0.001	0.005	µg/L							
Naphthalene	Total	ND	1	0.001	0.005	µg/L							
Perylene	Total	ND	1	0.001	0.005	µg/L							
Phenanthrene	Total	ND	1	0.001	0.005	µg/L							
Pyrene	Total	ND	1	0.001	0.005	µg/L							



Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY	PRECISION	QA CODEc	
							LEVEL	RESULT	%	LIMITS	%	LIMITS
Sample ID: 106240-BS1		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:		Received:		
Method: EPA 625.1		Batch ID: O-41040			Prepared: 20-Apr-23		Analyzed: 03-May-23					
(d10-Acenaphthene)	Total	77	1			% Recovery	100	0	77	27 - 133%	PASS	
(d10-Phenanthrene)	Total	78	1			% Recovery	100	0	78	43 - 129%	PASS	
(d12-Chrysene)	Total	60	1			% Recovery	100	0	60	52 - 144%	PASS	
(d12-Perylene)	Total	78	1			% Recovery	100	0	78	36 - 161%	PASS	
(d8-Naphthalene)	Total	68	1			% Recovery	100	0	68	25 - 125%	PASS	
1-Methylnaphthalene	Total	0.364	1	0.001	0.005	µg/L	0.5	0	73	31 - 128%	PASS	
1-Methylphenanthrene	Total	0.377	1	0.001	0.005	µg/L	0.5	0	75	66 - 127%	PASS	
2,3,5-Trimethylnaphthalene	Total	0.395	1	0.001	0.005	µg/L	0.5	0	79	55 - 122%	PASS	
2,6-Dimethylnaphthalene	Total	0.379	1	0.001	0.005	µg/L	0.5	0	76	48 - 120%	PASS	
2-Methylnaphthalene	Total	0.298	1	0.001	0.005	µg/L	0.5	0	60	47 - 130%	PASS	
Acenaphthene	Total	0.414	1	0.001	0.005	µg/L	0.5	0	83	53 - 131%	PASS	
Acenaphthylene	Total	0.371	1	0.001	0.005	µg/L	0.5	0	74	43 - 140%	PASS	
Anthracene	Total	0.39	1	0.001	0.005	µg/L	0.5	0	78	58 - 135%	PASS	
Benz[a]anthracene	Total	0.282	1	0.001	0.005	µg/L	0.5	0	56	55 - 145%	PASS	
Benzo[a]pyrene	Total	0.413	1	0.001	0.005	µg/L	0.5	0	83	51 - 143%	PASS	
Benzo[b]fluoranthene	Total	0.347	1	0.001	0.005	µg/L	0.5	0	69	46 - 165%	PASS	
Benzo[e]pyrene	Total	0.365	1	0.001	0.005	µg/L	0.5	0	73	42 - 152%	PASS	
Benzo[g,h,i]perylene	Total	0.363	1	0.001	0.005	µg/L	0.5	0	73	63 - 133%	PASS	
Benzo[k]fluoranthene	Total	0.38	1	0.001	0.005	µg/L	0.5	0	76	56 - 145%	PASS	
Biphenyl	Total	0.347	1	0.001	0.005	µg/L	0.5	0	69	56 - 119%	PASS	
Chrysene	Total	0.319	1	0.001	0.005	µg/L	0.5	0	64	56 - 141%	PASS	
Dibenz[a,h]anthracene	Total	0.38	1	0.001	0.005	µg/L	0.5	0	76	55 - 150%	PASS	
Dibenzo[a,l]pyrene	Total	0.53	1	0.001	0.005	µg/L	0.5	0	106	50 - 150%	PASS	
Dibenzothiophene	Total	0.394	1	0.001	0.005	µg/L	0.5	0	79	46 - 126%	PASS	

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY		PRECISION		QA CODE _c
							LEVEL	RESULT	%	LIMITS	%	LIMITS	
Fluoranthene	Total	0.471	1	0.001	0.005	µg/L	0.5	0	94	60 - 146%	PASS		
Fluorene	Total	0.392	1	0.001	0.005	µg/L	0.5	0	78	58 - 131%	PASS		
Indeno[1,2,3-cd]pyrene	Total	0.384	1	0.001	0.005	µg/L	0.5	0	77	50 - 151%	PASS		
Naphthalene	Total	0.362	1	0.001	0.005	µg/L	0.5	0	72	41 - 126%	PASS		
Perylene	Total	0.408	1	0.001	0.005	µg/L	0.5	0	82	48 - 141%	PASS		
Phenanthrene	Total	0.418	1	0.001	0.005	µg/L	0.5	0	84	67 - 127%	PASS		
Pyrene	Total	0.467	1	0.001	0.005	µg/L	0.5	0	93	54 - 156%	PASS		



Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY		PRECISION		QA CODE		
							LEVEL	RESULT	%	LIMITS	%	LIMITS			
Sample ID: 106240-BS2		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:			Received:				
Method: EPA 625.1		Batch ID: O-41040			Prepared: 20-Apr-23			Analyzed: 03-May-23							
(d10-Acenaphthene)	Total	78	1				% Recovery	100	0	78	27 - 133%	PASS	1	30	PASS
(d10-Phenanthrene)	Total	74	1				% Recovery	100	0	74	43 - 129%	PASS	5	30	PASS
(d12-Chrysene)	Total	64	1				% Recovery	100	0	64	52 - 144%	PASS	6	30	PASS
(d12-Perylene)	Total	81	1				% Recovery	100	0	81	36 - 161%	PASS	4	30	PASS
(d8-Naphthalene)	Total	73	1				% Recovery	100	0	73	25 - 125%	PASS	7	30	PASS
1-Methylnaphthalene	Total	0.372	1	0.001	0.005	µg/L		0.5	0	74	31 - 128%	PASS	1	30	PASS
1-Methylphenanthrene	Total	0.369	1	0.001	0.005	µg/L		0.5	0	74	66 - 127%	PASS	1	30	PASS
2,3,5-Trimethylnaphthalene	Total	0.424	1	0.001	0.005	µg/L		0.5	0	85	55 - 122%	PASS	7	30	PASS
2,6-Dimethylnaphthalene	Total	0.37	1	0.001	0.005	µg/L		0.5	0	74	48 - 120%	PASS	3	30	PASS
2-Methylnaphthalene	Total	0.327	1	0.001	0.005	µg/L		0.5	0	65	47 - 130%	PASS	8	30	PASS
Acenaphthene	Total	0.405	1	0.001	0.005	µg/L		0.5	0	81	53 - 131%	PASS	2	30	PASS
Acenaphthylene	Total	0.397	1	0.001	0.005	µg/L		0.5	0	79	43 - 140%	PASS	7	30	PASS
Anthracene	Total	0.399	1	0.001	0.005	µg/L		0.5	0	80	58 - 135%	PASS	3	30	PASS
Benz[a]anthracene	Total	0.321	1	0.001	0.005	µg/L		0.5	0	64	55 - 145%	PASS	13	30	PASS
Benzo[a]pyrene	Total	0.38	1	0.001	0.005	µg/L		0.5	0	76	51 - 143%	PASS	9	30	PASS
Benzo[b]fluoranthene	Total	0.334	1	0.001	0.005	µg/L		0.5	0	67	46 - 165%	PASS	3	30	PASS
Benzo[e]pyrene	Total	0.362	1	0.001	0.005	µg/L		0.5	0	72	42 - 152%	PASS	1	30	PASS
Benzo[g,h,i]perylene	Total	0.391	1	0.001	0.005	µg/L		0.5	0	78	63 - 133%	PASS	7	30	PASS
Benzo[k]fluoranthene	Total	0.386	1	0.001	0.005	µg/L		0.5	0	77	56 - 145%	PASS	1	30	PASS
Biphenyl	Total	0.366	1	0.001	0.005	µg/L		0.5	0	73	56 - 119%	PASS	6	30	PASS
Chrysene	Total	0.318	1	0.001	0.005	µg/L		0.5	0	64	56 - 141%	PASS	0	30	PASS
Dibenz[a,h]anthracene	Total	0.404	1	0.001	0.005	µg/L		0.5	0	81	55 - 150%	PASS	6	30	PASS
Dibenzo[a,l]pyrene	Total	0.464	1	0.001	0.005	µg/L		0.5	0	93	50 - 150%	PASS	13	30	PASS
Dibenzothiophene	Total	0.389	1	0.001	0.005	µg/L		0.5	0	78	46 - 126%	PASS	1	30	PASS

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY		PRECISION		QA CODE _c	
							LEVEL	RESULT	%	LIMITS	%	LIMITS		
Fluoranthene	Total	0.446	1	0.001	0.005	µg/L	0.5	0	89	60 - 146%	PASS	5	30	PASS
Fluorene	Total	0.417	1	0.001	0.005	µg/L	0.5	0	83	58 - 131%	PASS	6	30	PASS
Indeno[1,2,3-cd]pyrene	Total	0.371	1	0.001	0.005	µg/L	0.5	0	74	50 - 151%	PASS	4	30	PASS
Naphthalene	Total	0.377	1	0.001	0.005	µg/L	0.5	0	75	41 - 126%	PASS	4	30	PASS
Perylene	Total	0.353	1	0.001	0.005	µg/L	0.5	0	71	48 - 141%	PASS	14	30	PASS
Phenanthrene	Total	0.404	1	0.001	0.005	µg/L	0.5	0	81	67 - 127%	PASS	4	30	PASS
Pyrene	Total	0.418	1	0.001	0.005	µg/L	0.5	0	84	54 - 156%	PASS	10	30	PASS

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

PHYSIS
TENTATIVELY
IDENTIFIED COMPOUNDS
ENVIRONMENTAL LABORATORIES, INC.
Innovative Solutions for Nature

Sample ID: 106241

Retention Time	Area (% of total)	Concentration (ng/L)	Library/ID	Cas Number	Match Quality (%)
35.4930	4.7539	1111	Anthracene-D10	1517-22-2	82
10.6482	4.8651	1137	1,5-Heptadien-4-one, 3,3,6-trimethyl-	546-49-6	89
32.2691	0.6221	145	Benzoic acid, 2-ethylhexyl ester	5444-75-7	85

Concentration estimated using the response for Anthracene-d10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Sample ID: Lab Blank B1_41040

Retention Time	Area (% of total)	Concentration (ng/L)	Library/ID	Cas Number	Match Quality (%)
35.5138	3.4910	1111	Anthracene-D10-	1719-06-8	91
32.2878	1.2852	409	Benzoic acid, 2-ethylhexyl ester	5444-75-7	93
10.6546	2.4322	774	Cyclopropane, 2-bromo-1,1,3-trimethyl-	36617-00-2	89

Concentration estimated using the response for Anthracene-d10

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

PERFORMANCE CHAIN OF CUSTODY

TERRA ENVIRONMENTAL LABORATORIES, INC. AURA

Innovative Solutions for Nature

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

Eurofins Eaton Analytical Pomona
 941 Corporate Center Drive
 Pomona, CA 91768-2642
 Phone: 626-386-1100

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)			Sampler:	Lab No.:	Carrier/Tracking No.:	COC No.:	
Shipping/Receiving			Phone:	Arada, Rachelle	Hawaii	380-49428-1	
Company: Physics Environmental Laboratories			E-Mail: Rachelle.Arada@eurofins.com	Accreditations Required (See note): State - Hawaii		Page: 1 of 1	
Address: 1904 Wright Circle,			Due Date Requested: 5/5/2023	Analysis Requested		Job #: 380-44586-1	
City: Anaheim			TAT Requested (days):	A - HCL B - NaOH O - AsH2O2 C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Aneliner H - Acetic Acid I - Ice J - DI Water V - MCAA W - pH 4.5 Y - Trizma Z - other (specify)			
State, Zip: CA, 92806			PO #:				
Phone:			WQ #:	Preservation Codes: M - Hexane N - None O - AsH2O2 P - H2O2S Q - N2S2O3 R - N2S2O3 S - H2SO4 T - TSP Dodecylhydrate U - Acetone V - MCAA W - pH 4.5 Y - Trizma Z - other (specify)			
Email:			Project #:	Special Instructions/Note: See Attached Instructions			
Project Name: RED-HILL			SSOW#:				
Site: Honolulu BWS Sites							
Sample Identification - Client ID (Lab ID)			Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (Water, Seawater, Urine, Acid)	Field Filtered Sample (Yes or No)
AIEA WELLS PUMPS 1&2 (260) (380-44586-1)			4/19/23	11:00	Hawaiian	Water	Perform MS/MSD (Yes or No) SUB (625 PAH Physis LL (EAL) + TICs) 625 PAH Physis LL (EAL) + TICs
							Total Number of containers
							2

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analytic & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analytes/methods/matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Method of Shipment:
Relinquished by: <i>Xin</i>	Date/Time: 4/19/23	Date/Time: 4/19/23
Relinquished by:	Date/Time:	Date/Time:
Relinquished by:	Date/Time:	Date/Time:

Custody Seal Intact: Yes No

Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18

Project Iteration ID: 1407003-399
 Client Name: Eurofins Eaton Analytical
 Project Name: RED-HILL Project # 38001111 Job # 380-44586-1
 COC Page Number: 2 of 2
 Bottle Label Color: NA

Sample Receipt Summary

Receiving Info

1. Initials Received By: BA
2. Date Received: 4/24/2023
3. Time Received: 2:00 (14:00)
4. Client Name: Eurofins
5. Courier Information: (Please circle)
 - Client
 - UPS
 - Area Fast
 - DRS
 - FedEx
 - GSO/GLS
 - Ontrac
 - PAMS
 - PHYSIS Driver:
 - i. Start Time: _____
 - ii. End Time: _____
 - iii. Total Mileage: _____
 - iv. Number of Pickups: _____
6. Container Information: (Please put the # of containers or circle none)
 - 1 Cooler
 - ___ Styrofoam Cooler
 - ___ Boxes
 - None
 - ___ Carboy(s)
 - ___ Carboy Trash Can(s)
 - ___ Carboy Cap(s)
 - Other _____
7. What type of ice was used: (Please circle any that apply)
 - Wet Ice
 - Blue Ice
 - Dry Ice
 - Water
 - None
8. Randomly Selected Samples Temperature (°C): 1.3
 Used I/R Thermometer # 1-2

Inspection Info

1. Initials Inspected By: RGH

Sample Integrity Upon Receipt:

1. COC(s) included and completely filled out..... Yes / No
2. All sample containers arrived intact..... Yes / No
3. All samples listed on COC(s) are present..... Yes / No
4. Information on containers consistent with information on COC(s)..... Yes / No
5. Correct containers and volume for all analyses indicated..... Yes / No
6. All samples received within method holding time..... Yes / No
7. Correct preservation used for all analyses indicated..... Yes / No
8. Name of sampler included on COC(s)..... Yes / No

Notes:

Monrovia, CA (Suite 100)

750 Royal Oaks Drive Suite 100
 Monrovia, CA 91016
 Phone (626) 386-1100

Chain of Custody Record



Client Information		Sampler: RYAN GREER		Lab PM: Arada, Rachele		Carrier Tracking No(s):		COC No: 380-27941-2757.2						
Client Contact: Dr. Ron Fenstermacher		Phone: 808-748-5840		E-Mail: Rachele.Arada@et.euronisus.com		State of Origin: HI		Page: Page 1 of 2						
Company: City & County of Honolulu			PWSID:		Analysis Requested					Job #:				
Address: 630 South Beretania Street; Chemistry Lab		Due Date Requested:		Field Filtered Sample (Yes or No) <input type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) SUBCONTRACT - 8915 Diesel LL (EAL) and Motor Oil 525.2_PREC - (MOD) 525plus PLUS TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) 537.1_DW_PREC - 537.1 Full List 533 - All Analytes	SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) SUBCONTRACT - 8915 Diesel LL (EAL) and Motor Oil 525.2_PREC - (MOD) 525plus PLUS TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) 537.1_DW_PREC - 537.1 Full List 533 - All Analytes	SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) SUBCONTRACT - 8915 Diesel LL (EAL) and Motor Oil 525.2_PREC - (MOD) 525plus PLUS TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) 537.1_DW_PREC - 537.1 Full List 533 - All Analytes	SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) SUBCONTRACT - 8915 Diesel LL (EAL) and Motor Oil 525.2_PREC - (MOD) 525plus PLUS TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) 537.1_DW_PREC - 537.1 Full List 533 - All Analytes	SUBCONTRACT - 625 PAH Physis LL (EAL) + TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) SUBCONTRACT - 8915 Diesel LL (EAL) and Motor Oil 525.2_PREC - (MOD) 525plus PLUS TICs SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL) 537.1_DW_PREC - 537.1 Full List 533 - All Analytes	Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Z - other (specify)		Other:			
City: Honolulu		TAT Requested (days):							Total Number of Containers	Special Instructions/Note:				
State, Zip: HI, 96843		Compliance Project: <input type="checkbox"/> No								Special Instructions/Note:				
Phone: 808-748-5091 (tel)		PO #: C20525101 exp 05312023								Special Instructions/Note:				
Email: rfenstermacher@hbws.org		WO #:								Special Instructions/Note:				
Project Name: RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill		Project #: 38001111		Special Instructions/Note:										
Site:		SSOW#:		Special Instructions/Note:										
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/soil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	R	R	RA	RA	Y	N	Total Number of Containers	Special Instructions/Note:
AIEA WELLS PUMPS 1&2 (260) P2	19-Apr-2023	1100	G	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2	2	2	4				(752A) 2.8 2.7 FedEx: 771917666048
TB AIEA WELLS PUMPS 1&2 (260) P2	19-Apr-2023	1100	G	Water	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				2				(752A) 3.1 3.0 FedEx: 771917666241 (752A) 4.1 4.0 FedEx: 771917666572
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months									
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:									
Empty Kit Relinquished by: _____			Date: _____		Time: _____		Method of Shipment: FedEx: 771917666024							
Date/Time: 4/20/23 1300			Company: HBWS		Received by: Mark Arada		Date/Time: 4/20/23 925		Company: EEA					
Date/Time:			Company:		Received by:		Date/Time:		Company:					
Date/Time:			Company:		Received by:		Date/Time:		Company:					



Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-44586-1

Login Number: 44586
List Number: 1
Creator: Elyas, Matthew

List Source: Eurofins Eaton Analytical Pomona

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	