

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

## Laboratory Report

for

Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843  
Attention: Erwin Kawata  
Fax: 808-550-5018

Date of Issue  
04/08/2022

*Rinda Seddos*  
EUROFINS EATON  
ANALYTICAL, LLC



Utah ELCP CA00006

DEB: Debbie L Frank  
Project Manager

Report: 986291  
Project: INTERA  
Group: MW - INTERA Albuquerque+

\* Accredited in accordance with TNI 2016 and ISO/IEC 17025:2017.

\* Laboratory certifies that the test results meet all **TNI 2016 and ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

\* As applicable, this report consists of the cover page, State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms.

\* Test results relate only to the sample(s) tested.

\* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

\* This report shall not be reproduced except in full, without the written approval of the laboratory.

\* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

## STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	NE-OS-21-13
Arkansas	CA00006	Nevada	CA00006
California	2813	New Hampshire *	2959
Colorado	CA00006	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	CA00006
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	21-008R	Ohio - 537.1	87786
Hawaii	CA00006	Oregon *	4034
Idaho	CA00006	Pennsylvania *	68-00565
Illinois	200033	Puerto Rico	CA00006
Indiana	C-CA-01	Rhode Island	LAO00326
Iowa – Asbestos	413	South Carolina	87016
Kansas *	E-10268	South Dakota	CA11320
Kentucky	90107	Tennessee	TN02839
Louisiana *	LA008	Texas *	T104704230-20-18
Maine	CA00006	Utah (Primary AB) *	CA00006
Maryland	224	Vermont	VT0114
Marianas Islands	MP0004	Virginia *	460260
Massachusetts	M-CA006	Washington	C838
Michigan	9906	EPA Region 5	CA00006
Mississippi	CA00006	Los Angeles County Sanitation Districts	10264

\* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025:2917 Accredited Method List

The test listed below are accredited and met the requirements of ISO/IEC 17025 as verify by A2LA.

Refer to our certificates and scope of accreditations (no. 5890-1 and 5890-2) found at:

<https://www.eurofinsus.com/Eaton>

Test(s)	Method(s)	Potable Water *	Waste Water	Test(s)	Method(s)	Potable Water *	Waste Water
Enterococci	Enterolert	x	x	Gross Alpha coprecipitation	SM 7110 C	x	x
Escherichia coli (Enumeration)	SM 9221 B.1 SM 9221 F	x		Hardness	SM 2340 B	x	x
Fecal Coliform (P/A and Enumeration)	SM 9221 C (MTF/EC), SM 9221 E (MTF/EC)	x	x	Hexavalent Chromium	EPA 218.6,	x	x
Fecal Streptococci and Enterococci	SM 9230 B	x	x	Hexavalent Chromium	EPA 218.7,	x	
Heterotrophic Bacteria	SM 9215 B	x		Hexavalent Chromium	SM 3500-Cr B		x
Legionella	Legiolert®	x		Inorganic Anions and DBPs	EPA 300.0	x	x
Pseudomonas aeruginosa	Idexx Pseudalart	x		Norganic Anions and DBPs	EPA 300.1	x	
Total Coliform (P/A and Enumeration)	SM 9221A, SM 9221B, SM 9221 C	x	x	Kjeldahl Nitrogen	EPA 351.2		x
Total Coliform, Total Coliform with Chlorine Present	SM 9221 B	x	x	Metals	EPA 200.7, EPA200.8	x	x
Total Coliform/E. coli (P/A and Enumeration, Idexx Colilert, Idexx Colilert 18, Colisure)	SM 9223	x		Nitrosamines	EEA-Agilent 521.1 (GCMS-24250)	x	
Total Microcystins and Nodularins	EPA 546	X		Nitrate/Nitrite Nitrogen	EPA 353.2	x	x
Yeast and Mold	SM 9610	x		Odor	SM2150B	x	
1,2,3-Trichloropropane (TCP) at 5 PPT	CA SRL 524M-TCP	x		Organohalide Pesticides and PCB	EPA 505	x	
1,4-Dioxane	EPA 522	x		Ortho Phosphate	SM 4500P E	x	
2,3,7,8-TCDD	Modified EPA 1613 B	x		Oxyhalides Disinfection Byproducts	EPA 317.0	x	
Acrylamide	+ LCMS 2440)	x		Perchlorate	EPA 331.0	x	
Algal Toxins/Microcystin	+ LCMS 3570	x		Perchlorate (Low and High Levels)	EPA 314.0	x	
Alkalinity	SM 2320B	x	x	Perfluorinated Alkyl Acids	EPA 533, EPA 537, EPA 537.1	x	
Ammonia	EPA 350.1, SM 4500-NH3 H		x	PPCP and EDC	+ LCMS-2443	x	
Asbestos	EPA 100.2	x	x	pH	EPA 150.1 SM 4500-H+ B	x	x
Bicarbonate Alkalinity as HCO3	SM 2330 B	x	x	Phenolics – Low Level	+WC 2493 (EPA 420.2 and EPA 420.4 MOD)	x	x
BOD/CBOD	SM 5210 B		x	Phenylurea Pesticides/Herbicides	+ LCMS-2448	x	
Bromate	+ LCMS- 2447	x		Radium-226, Radium-228	GA Tech (Rad-2374)	x	
Carbonate as CO3	SM 2330 B	x	x	Radon-222	SM 7500RN	x	
Carbonyls	EPA 556	x	x	Residue (Filterable)	SM 2540C	x	x
Chemical Oxygen Demand	EPA 410.4, SM 5220D		x	Residue (Non-Filterable)	SM 2540D		x
Chlorinated Acids	EPA 515.4	x		Residue (Total)	SM 2540B		x
Chlorine Dioxide	Palin Test Chlordio X Plus, SM 4500-CLO2 D	x		Residue (Volatile)	EPA 160.4		x
Chlorine, Free, Combined, Total Residual, Chloramines	SM 4500-Cl G	x		Semi-Volatile Compounds	EPA 525.2	x	
Color	SM2120B	x		Silica	SM 4500-SiO2 C	x	x
Conductivity	EPA 120.1, SM 2510B	x	x	Sulfide	SM 4500-S D		x
Corrosivity (Langelier Index), Carbonate as CO3, Hydroxide as OH Calculated	SM 2330 B	x		Sulfite	SM 4500-SO3 B	x	x
Cyanide (Amenable)	SM 4500-CN G	x	x	Surfactants	SM 5540C	x	x
Cyanide (Free)	SM 4500CN F	x	x	Taste and Odor	SM 6040 E	x	
Cyanide (Total)	EPA 335.4	x	x	Total Organic Carbon	SM 5310 C	x	x
Cyanogen Chloride (Screen)	+ 335 Mod (WC-24467)	x		Total Phenols	EPA 420.1		x
Diquat and Paraquat	EPA 549.2	x		Total Phenols	EPA 420.4	x	x
DBP and HAA	SM 6251 B	x		Triazine Pesticides and their Degradates	+ LCMS-3617	x	
Dissolved Organic Carbon	SM 5310 C	x		Turbidity	EPA 180.1	x	x
Dissolved Oxygen	SM 4500-O G		x	Uranium by ICP/MS	EPA 200.8	x	
EDB/DCBP/TCP	EPA 504.1	x		UV 254 Organic Constituents	SM 5910B	x	
EDB/DBCP and Disinfection Byproducts	EPA 551.1	x		VOCs	EPA 524.2	x	
EDTA and NTA	+ WC-2454	x		VOCs	+ (GCMS 2412) by EPA 524.2 modified	x	
Endothall	EPA 548.1, +(LCMS-2445)	x					
Fluoride	SM 4500F C	x	x				
Glyphosate	EPA 547	x					
Glyphosate and AMPA	+ LCMS-3618	x					
Gross Alpha and Gross Beta	EPA 900.0	x	x				

(\* ) includes: Bottled Water, Drinking Water and Water as Component of Food & Beverage.

(+ ) In-House Method

### Acknowledgement of Samples Received

Addr: **Honolulu Board of Water Supply**  
 630 South Beretania Street  
 Public Service Bldg." Room 308  
 Honolulu, HI 96843

Attn: Erwin Kawata  
 Phone: 808-748-5091

Client ID: HONOLULU  
 Folder #: 986291  
 Project: INTERA  
 Sample Group: MW - INTERA Albuquerque+

Project Manager: Debbie L Frank  
 Phone: (626) 386-1149  
 PO #: C20525101 exp 05312023

The following samples were received from you on **February 09, 2022** at **1020**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
202202090913	BWS2253-J1-AQ	02/08/2022 0910
	(SUB)Gas Fraction Hydrocarbons      Miscellaneous Charges      TPH 8015 Diesel and Motor Oil	
202202090914	TRAVEL BLANK Raw	02/08/2022 0910
	(SUB)Gas Fraction Hydrocarbons	

### Test Description

EUROF01 C: 2/11/2022 12:00 AM  
 FOLDER R: 2/9/2022  
 NO49370-003A 1 of 1

# 986291

## CHAIN OF CUSTODY RECORD

b6am020922

EUROFINS EATON ANALYTICAL USE ONLY:

**LOGIN COMMENTS:** SAMPLE \_\_\_\_\_

**SAMPLES LOGGED IN BY:** \_\_\_\_\_

**SAMPLES REC'D DAY OF COLLECTION?**  (check for yes)

SAMPLE TEMP RECEIVED AT: **ASSET LABS 2-B c 1B#3**

Colton / No. California / Arizona    °C ( Compliance: 4 ± 2 °C )

Monrovia    °C ( Compliance: 4 ± 2 °C )

**CONDITION OF BLUE ICE:** Frozen \_\_\_\_\_ Thawed \_\_\_\_\_ Wet ice \_\_\_\_\_ No ice \_\_\_\_\_

**METHOD OF SHIPMENT:** Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

*Lab # 3013*

**TO BE COMPLETED BY SAMPLER:** \_\_\_\_\_ (check for yes)

**COMPANY/AGENCY NAME:** Honolulu Board of Water Supply

**PROJECT CODE:** RED HILL

**SAMPLE GROUP:** MW - INTERA Albuquerque +

**STD** \_\_\_ 1 wk \_\_\_ 3 day \_\_\_ X\_ 2 day \_\_\_ 1 day \_\_\_

**TAT requested:** rush by adv notice only: **RUSH**

**EEA CLIENT CODE:** HONOLULU    **COC ID:** \_\_\_\_\_

**750 Royal Oaks Drive, Suite 100**  
**Monrovia, CA 91016-3629**  
**Phone: 626 386 1100**  
**Fax: 626 386 1101**  
**800 566 LABS (800 566 5227)**

SAMPLE DATE	SAMPLE TIME	SAMPLE ID	CLIENT LAB ID	MATRIX	FIELD DATA	FIELD DATA	TPH 8015 Diesel and Motor Oil	COMPLIANCE SAMPLES		NON-COMPLIANCE SAMPLES	SAMPLER COMMENTS
								- Requires state forms	- Requires state forms		
2/8	070		BWS2253-J1-AQ	RGW			8015 Gas Travel Blank	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
			BWS2253-J1-TB	BW			8015 Gas	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Kit# 308834 Provided by EEA

**SHIP TO:** Asset Laboratories  
 3151 West Post Road  
 Las Vegas NV 89118  
 702-307-2659  
 Attn: Marlon Cartin  
 marlon@assetlaboratories.com

**Bill and Report to EEA-Monrovia**

SAMPLED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE	TIME
RELINQUISHED BY:	<i>[Signature]</i>	Kevin Gooding	INTERA Incorporated / Senior Hydrogeologis	2/8/22	0910
RECEIVED BY:	<i>[Signature]</i>	Kevin Gooding	INTERA Incorporated / Senior Hydrogeologis	2/8/22	1030
RELINQUISHED BY:	<i>[Signature]</i>	<i>[Signature]</i>	ASSET LABS	2/9/22	1020
RECEIVED BY:					
RECEIVED BY:					

\* **MATRIX TYPES:** RSW = Raw Surface Water    CFW = Chlor(am)inated Finished Water    SEAW = Sea Water    BW = Bottled Water    SO = Soil  
 RGW = Raw Ground Water    FW = Other Finished Water    WW = Waste Water    SW = Storm Water    SL = Sludge    O = Other - Please identify

PAGE 1 OF 1



### Kit Order for Honolulu Board of Water Supply

Debbie L Frank is your Eurofins Eaton Analytical, LLC Service Manager

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
(626) 386-1100 FAX (866) 988-3757

Created Date & Time: 12/25/2021 12:11:57AM

**Note: Sampler Please return this paper with your samples**

Kit #: 308834 

Client ID: HONOLULU 

Created By: - [AutoGenerated]  
Deliver By: 01/24/2022  
STC: Bottle Orders  
Ice Type: W

Project Code: INTERA Bottle Orders  
Group Name: RUSH Incident Follow-up TPH (2021)  
PO#/JOB#: C20525101 exp 05312023  
Description: ASSET MW Monitoring - Every 1 w

**Ship Sample Kits to**  
INTERA Incorporated  
41-038 A Manana Street  
Waimanalo, HI 96795  
  
Attn: Kevin Gooding- Ship INTERA  
Phone: 808.382.6853

**Send Report to**  
Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843  
  
Attn: Erwin Kawata  
Phone: 808-748-5091  
Fax: 808-550-5018

**Billing Address**  
Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843  
  
Attn: Erwin Kawata  
Phone: 808-748-5091  
Fax: 808-550-5018

# of Sample Tests	Bottle Qty - Type [ preservative information ]	Total	UN DOT #
1	TPH 8015 Diesel and Motor Oil	4	
1	8015 Gas Travel Blank	2	UN1789
1	8015 Gas	4	
1	@8015B_C6-C44	0	
1	@8015B GAS/DIESEL/OIL_Calscience	0	

**Sum Tests: 5**

**Sum Bottles: 10**

#### Comments

Extra Volume for randomly selected Batch QC. Sample may not be chosen for batch QC.

Testing - MRL reporting, no individual Cs  
8015 C8-C44 extractable DRO, ORO  
8015 C6-C10 purgeable (GRO)

Sampler - RUSH testing Ship direct to the 8015 testing lab. with note on the COC to Bill and report to EEA-monrovia

Asset Labs  
Sample receiving  
ASSET Laboratories  
3151 W. Post Road,  
Las Vegas, NV 89118  
702.307.2659  
Marlon Cartin  
Sr. Project Manager  
www.assetlaboratories.com  
Email: marlon@assetlaboratories.com  
P: 702.307.2659 Ext. 410 | F: 702.307.2691 | M: 702.439.0421

Include KO with COC

1020  
2.8°C 12/13



**WR LASA**

NV-US  
LAS

89118

AHS

**PRIORITY OVERNIGHT**  
WED - 09 FEB 10:30A

TRK# 2896 1837 3013

1020102010201



**FedEx**  
Express



**LAS VEGAS NV 89118**

**ASSET LABORATORIES**  
SAMPLE RECEIVING ATTN: MARLON CARTIN  
3151 W POST RD

Part # 156287-235 / RHDW2-ESQ 08/22

SHIP DATE: 08FEB22  
ACTWGT: 39.90 LB  
CAD: 6994241/SSFE2220  
DIMS: 20x14x14 IN  
BILL THIRD PARTY

ORIGIN ID: HNLA (808) 382-6853  
INTERA INC  
KEVIN GOODING  
74 KIHAPAI ST  
KAILUA, HI 96734  
UNITED STATES US



Eaton Analytical

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016-3629  
Phone: 626 386 1100  
Fax: 626 386 1101  
800 566 LABS (800 566 5227)

**LOGIN COMMENTS:**

**CHAIN OF CUSTODY RECORD**  
EUROFINS EATON ANALYTICAL USE ONLY:  
SAMPLE COMMENTS: \_\_\_\_\_  
SAMPLE RECD DAY OF COLLECTION?  (check for yes)  
SAMPLE TEMP RECEIVED AT: ASSET LABS 2-B c 12#3  
Colton / No. California / Arizona \_\_\_\_\_ °C (Compliance: 4 ± 2 °C)  
Monrovia \_\_\_\_\_ °C (Compliance: 4 ± 2 °C)  
CONDITION OF BLUE ICE: Frozen \_\_\_\_\_ Partially Frozen \_\_\_\_\_ Thawed \_\_\_\_\_ Wet Ice \_\_\_\_\_ No Ice \_\_\_\_\_  
METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_  
*Folio# 3013*

TO BE COMPLETED BY SAMPLER:

COMPANY/AGENCY NAME: Honolulu Board of Water Supply  
 EEA CLIENT CODE: HONOLULU  
 COC ID: \_\_\_\_\_  
 PROJECT CODE: RED HILL  
 SAMPLE GROUP: MW - INTERA Albuquerque +  
 STD \_\_\_ 1 wk \_\_\_ 3 day \_\_\_ X \_\_\_ 2 day \_\_\_ 1 day \_\_\_  
 TAT requested: rush by adv notice only: **RUSH**

SAMPLE DATE	SAMPLE TIME	SAMPLE ID	CLIENT LAB ID	MATRIX	FIELD DATA	FIELD DATA
2/8	070		BWS2253-J1-AQ	RGW		
			BWS2253-J1-TB	BW		

COMPANY/TITLE: INTERA Incorporated / Senior Hydrogeologis  
 PRINT NAME: Kevin Gooding  
 SIGNATURE: *[Signature]*  
 DATE: 2/8/22  
 TIME: 0910  
 RECEIVED BY: *[Signature]*  
 DATE: 2/8/22  
 TIME: 1030  
 RECEIVED BY: *[Signature]*  
 DATE: 2/9/22  
 TIME: 1020  
 RECEIVED BY: \_\_\_\_\_





# Kit Order for Honolulu Board of Water Supply

Debbie L Frank is your Eurofins Eaton Analytical, LLC Service Manager

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
(626) 386-1100 FAX (866) 988-3757

Created Date & Time: 12/25/2021 12:11:57AM

**Note: Sampler Please return this paper with your samples**

Kit #: 308834 

Client ID: HONOLULU 

Created By: - [AutoGenerated]  
Deliver By: 01/24/2022  
STG: Bottle Orders  
Ice Type: W

Project Code: INTERA Bottle Orders  
Group Name: RUSH Incident Follow-up TPH (2021)  
PO#/JOB#: C20525101 exp 05312023  
Description: ASSET MW Monitoring - Every 1 w

**Ship Sample Kits to**  
INTERA Incorporated  
41-038 A Manana Street  
Waimanalo, HI 96795  
  
Attn: Kevin Gooding- Ship INTERA  
Phone: 808.382.6853

**Send Report to**  
Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843  
  
Attn: Erwin Kawata  
Phone: 808-748-5091  
Fax: 808-550-5018

**Billing Address**  
Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843  
  
Attn: Erwin Kawata  
Phone: 808-748-5091  
Fax: 808-550-5018

# of Sample Tests	Bottle Qty - Type [ preservative information ]	Total	UN DOT #
1	TPH 8015 Diesel and Motor Oil	4	
1	8015 Gas Travel Blank	2	UN1789
1	8015 Gas	4	
1	@8015B_C6-C44	0	
1	@8015B GAS/DIESEL/OIL_Calscience	0	

**Sum Tests: 5**

**Sum Bottles: 10**

### Comments

Extra Volume for randomly selected Batch QC. Sample may not be chosen for batch QC.

Testing - MRL reporting, no individual Cs  
8015 C8-C44 extractable DRO, ORO  
8015 C6-C10 purgeable (GRO)

Sampler - RUSH testing Ship direct to the 8015 testing lab. with note on the COC to Bill and report to EEA-monrovia

Asset Labs  
Sample receiving  
ASSET Laboratories  
3151 W. Post Road,  
Las Vegas, NV 89118  
702.307.2659  
Marlon Cartin  
Sr. Project Manager  
www.assetlaboratories.com  
Email: marlon@assetlaboratories.com  
P: 702.307.2659 Ext. 410 | F: 702.307.2691 | M: 702.439.0421

Include KO with COC

1020  
2.8°C 1243



**WR LASA**

NV-US  
LAS

89118

AHS


**PRIORITY OVERNIGHT**  
WED - 09 FEB 10:30A

TRK# 2896 1837 3013

1020102010201



**FedEx**  
Express



DEPT:

**LAS VEGAS NV 89118**

REF: (702) 307-2659

**ASSET LABORATORIES**  
SAMPLE RECEIVING ATTN: MARLON CARTIN  
3151 W POST RD

Part # 156287-235 / RHDWZ: BCP 08/22

SHIP DATE: 08FEB22  
ACTWGT: 39.90 LB  
CAD: 6894241/SSFE2220  
DIMS: 20x14x14 IN  
BILL THIRD PARTY

ORIGIN ID: HNLA (808) 382-6853  
INTERA INC  
KEVIN GOODING  
74 KIHAPAI ST  
KAILUA, HI 96734  
UNITED STATES US

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Laboratory Comments**

**Report:** 986291  
**Project:** INTERA  
**Group:** MW - INTERA Albuquerque+

Honolulu Board of Water Supply  
Erwin Kawata  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843

---

**Folder Comments**

Results for GC/FID Gas Range and TPH Diesel and Motor Oil are submitted by ASSET Laboratories

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Report:** 986291  
**Project:** INTERA  
**Group:** MW - INTERA Albuquerque+

**Honolulu Board of Water Supply**  
Erwin Kawata  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843

Samples Received on:  
02/09/2022 1020

---

Analyzed	Analyte	Sample ID	Result	HI Limit	Units	MRL
----------	---------	-----------	--------	----------	-------	-----

---

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 986291  
**Project:** INTERA  
**Group:** MW - INTERA Albuquerque+

**Honolulu Board of Water Supply**  
 Erwin Kawata  
 630 South Beretania Street  
 Public Service Bldg." Room 308  
 Honolulu, HI 96843

Samples Received on:  
 02/09/2022 1020

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<b><u>BWS2253-J1-AQ (202202090913)</u></b>						<b>Sampled on 02/08/2022 0910</b>			
<b>SW 8015B - (SUB)Gas Fraction Hydrocarbons</b>									
02/09/22	02/09/22 18:06			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.05	1
<b>SW 8015B - TPH 8015 Diesel and Motor Oil</b>									
02/09/22	02/12/22 10:30			(SW 8015B)	TPH Diesel	ND	ug/L	50	1
02/09/22	02/12/22 10:30			(SW 8015B)	TPH Motor Oil	ND	ug/L	50	1
<b><u>TRAVEL BLANK Raw (202202090914)</u></b>						<b>Sampled on 02/08/2022 0910</b>			
<b>SW 8015B - (SUB)Gas Fraction Hydrocarbons</b>									
02/09/22	02/09/22 19:39			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.05	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Laboratory QC Summary**

**Report:** 986291  
**Project:** INTERA  
**Group:** MW - INTERA Albuquerque+

Honolulu Board of Water Supply

---

**Analytical Batch:**

**Analysis Date:**

Analyzed by:

Tel: (626) 386-1100  
Fax: (626) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Report:** 986291  
**Project:** INTERA  
**Group:** MW - INTERA Albuquerque+

**Honolulu Board of Water Supply**  
Erwin Kawata  
630 South Beretania Street  
Public Service Bldg.” Room 308  
Honolulu, HI 96843

Samples Received on:  
02/09/2022 1020

---

Analyzed	Analyte	Sample ID	Result	Federal MCL	Units	MRL
----------	---------	-----------	--------	-------------	-------	-----

---

February 14, 2022

Debbie Frank  
Eurofins  
750 Royal Oaks Drive Suite 100  
Monrovia, CA 91016-3629  
TEL: (626) 386-1158  
FAX:

Workorder No.: N049370

RE: RED HILL

Attention: Debbie Frank

Enclosed are the results for sample(s) received on February 09, 2022 by ASSET Laboratories. The sample(s) are tested for the parameters as indicated in the enclosed chain of custody in accordance with the applicable laboratory certifications.

Thank you for the opportunity to service the needs of your company.

Please feel free to call me at (702) 307-2659 if I can be of further assistance to your company.

Sincerely,



Nancy Sibucan  
Laboratory Director

The cover letter is an integral part of this analytical report. This Laboratory Report cannot be reproduced in part or in its entirety without written permission from the client and ASSET Laboratories - Las Vegas.



**ASSET LABORATORIES**  
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

CALIFORNIA | P: 562.219.7435 F: 562.219.7436  
11110 Artesia Blvd., Ste B, Cerritos, CA 90703  
ELAP Cert 2921  
EPA ID CA01638

NEVADA | P: 702.307.2659 F: 702.307.2691  
3151 W. Post Rd., Las Vegas, NV 89118  
ELAP Cert 2676 | NV Cert NV00922  
ORELAP/NELAP Cert 4046

*"Serving Clients with Passion and Professionalism"*



**CLIENT:** Eurofins  
**Project:** RED HILL  
**Lab Order:** N049370

**CASE NARRATIVE**

**SAMPLE RECEIVING/GENERAL COMMENTS:**

All sample containers were received intact with proper chain of custody documentation.

Information on sample receipt conditions including discrepancies can be found in attached Sample Receipt Checklist Form.

Cooler temperature and sample preservation were verified upon receipt of samples if applicable.

Samples were analyzed within method holding time.

**Analytical Comments for EPA 8015B GRO:**

RPD for Matrix Spike (MS)/Matrix Spike Duplicate (MSD) is outside criteria in QC samples N049370-001AMS/MSD possibly due to matrix interference; however, the analytical batch was validated by the Laboratory Control Sample (LCS).



**CLIENT:** Eurofins  
**Project:** RED HILL  
**Lab Order:** N049370  
**Contract No:**

**Work Order Sample Summary**

Lab Sample ID	Client Sample ID	Matrix	Collection Date	Date Received	Date Reported
N049370-001A	986291_202202090913_BW S2253-J1-AQ	Raw Groundwater	2/8/2022 9:10:00 AM	2/9/2022	2/14/2022
N049370-001B	986291_202202090913_BW S2253-J1-AQ	Raw Groundwater	2/8/2022 9:10:00 AM	2/9/2022	2/14/2022
N049370-002A	986291_202202090914_BW S2253-J1-TB	Bottled Water	2/8/2022 9:10:00 AM	2/9/2022	2/14/2022



**ASSET Laboratories**

**ANALYTICAL RESULTS**

Print Date: 14-Feb-22

**CLIENT:** Eurofins  
**Lab Order:** N049370  
**Project:** RED HILL  
**Lab ID:** N049370-001

**Client Sample ID:** 986291\_202202090913\_BWS2253-J  
**Collection Date:** 2/8/2022 9:10:00 AM  
**Matrix:** RAW GROUNDWATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**TPH CARBON CHAIN EPA 8015**

**EPA 3510C**

**EPA 8015B(M)**

RunID: NV00922-GC1_220211B	QC Batch: 91423				PrepDate: 2/9/2022	Analyst: MCC
Diesel Range Organics (C10-C28)	ND	50		ug/L	1	2/12/2022 10:30 AM
Oil Range Organics (C28-C40)	ND	50		ug/L	1	2/12/2022 10:30 AM
Surr: p-Terphenyl	67.1	33-138		%REC	1	2/12/2022 10:30 AM

**GASOLINE RANGE ORGANICS BY GC/FID**

**EPA 8015B**

RunID: NV00922-GC4_220209A	QC Batch: E22VW014				PrepDate:	Analyst: DJ
GRO	ND	0.050		mg/L	1	2/9/2022 06:06 PM
Surr: Chlorobenzene - d5	100	69-130		%REC	1	2/9/2022 06:06 PM

<b>Qualifiers:</b>	B Analyte detected in the associated Method Blank	E Value above quantitation range
	H Holding times for preparation or analysis exceeded	ND Not Detected at the Reporting Limit
	S Spike/Surrogate outside of limits due to matrix interference	Results are wet unless otherwise specified
	DO Surrogate Diluted Out	



**ASSET LABORATORIES**  
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

**CALIFORNIA** | P: 562.219.7435 F: 562.219.7436  
 11110 Artesia Blvd., Ste B, Cerritos, CA 90703  
 ELAP Cert 2921  
 EPA ID CA01638

**NEVADA** | P: 702.307.2659 F: 702.307.2691  
 3151 W. Post Rd., Las Vegas, NV 89118  
 ELAP Cert 2676 | NV Cert NV00922  
 ORELAP/NELAP Cert 4046

*"Serving Clients with Passion and Professionalism"*

**ASSET Laboratories**

**ANALYTICAL RESULTS**

Print Date: 14-Feb-22

**CLIENT:** Eurofins  
**Lab Order:** N049370  
**Project:** RED HILL  
**Lab ID:** N049370-002

**Client Sample ID:** 986291\_202202090914\_BWS2253-J  
**Collection Date:** 2/8/2022 9:10:00 AM  
**Matrix:** BOTTLED WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

**GASOLINE RANGE ORGANICS BY GC/FID**

**EPA 8015B**

RunID: NV00922-GC4_220209A	QC Batch: E22VW014	PrepDate:	Analyst: DJ		
GRO	ND	0.050	mg/L	1	2/9/2022 07:39 PM
Surr: Chlorobenzene - d5	118	69-130	%REC	1	2/9/2022 07:39 PM

<b>Qualifiers:</b>	B	Analyte detected in the associated Method Blank	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	S	Spike/Surrogate outside of limits due to matrix interference		Results are wet unless otherwise specified
	DO	Surrogate Diluted Out		



**ASSET LABORATORIES**  
ANALYTICAL SUPPORT SERVICES FOR ENVIRONMENTAL TECHNOLOGIES

**CALIFORNIA** | P:562.219.7435 F:562.219.7436  
 11110 Artesia Blvd., Ste B, Cerritos, CA 90703  
 ELAP Cert 2921  
 EPA ID CA01638

**NEVADA** | P:702.307.2659 F:702.307.2691  
 3151 W. Post Rd., Las Vegas, NV 89118  
 ELAP Cert 2676 | NV Cert NV00922  
 ORELAP/NELAP Cert 4046

*"Serving Clients with Passion and Professionalism"*

**ASSET Laboratories**

Date: 14-Feb-22

**ANALYTICAL QC SUMMARY REPORT**

**CLIENT:** Eurofins  
**Work Order:** N049370  
**Project:** RED HILL

**TestCode:** 8015DM\_W\_CC

Sample ID: <b>MB-91423</b>	SampType: <b>MBLK</b>	TestCode: <b>8015DM_W_C</b>	Units: <b>ug/L</b>	Prep Date: <b>2/9/2022</b>	RunNo: <b>160177</b>						
Client ID: <b>PBW</b>	Batch ID: <b>91423</b>	TestNo: <b>EPA 8015B(M EPA 3510C)</b>		Analysis Date: <b>2/12/2022</b>	SeqNo: <b>4532028</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (C10-C28)	ND	50									
Oil Range Organics (C28-C40)	ND	50									
Surr: p-Terphenyl	54.852		80.00		68.6	33	138				

Sample ID: <b>LCS-91423</b>	SampType: <b>LCS</b>	TestCode: <b>8015DM_W_C</b>	Units: <b>ug/L</b>	Prep Date: <b>2/9/2022</b>	RunNo: <b>160177</b>						
Client ID: <b>LCSW</b>	Batch ID: <b>91423</b>	TestNo: <b>EPA 8015B(M EPA 3510C)</b>		Analysis Date: <b>2/12/2022</b>	SeqNo: <b>4532029</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (C10-C28)	604.809	50	1000	0	60.5	48	120				
Surr: p-Terphenyl	50.618		80.00		63.3	33	138				

Sample ID: <b>LCSD-91423</b>	SampType: <b>LCSD</b>	TestCode: <b>8015DM_W_C</b>	Units: <b>ug/L</b>	Prep Date: <b>2/9/2022</b>	RunNo: <b>160177</b>						
Client ID: <b>LCSS02</b>	Batch ID: <b>91423</b>	TestNo: <b>EPA 8015B(M EPA 3510C)</b>		Analysis Date: <b>2/12/2022</b>	SeqNo: <b>4532030</b>						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Diesel Range Organics (C10-C28)	596.409	50	1000	0	59.6	48	120	604.8	1.40	20	
Surr: p-Terphenyl	60.632		80.00		75.8	33	138		0	0	

**Qualifiers:**

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike/Surrogate outside of limits due to matrix interference
DO	Surrogate Diluted Out	Calculations are based on raw values			

CALIFORNIA P:562.219.7435 F:562.219.7436 NEVADA P:702.307.2659 F:702.307.2691  
 11110 Artesia Blvd, Ste B, Cerritos, CA 90703 3151 W. Post Rd., Las Vegas, NV 89118  
 ELAP Cert 2921 ELAP Cert 2676 | NV Cert NV00922  
 EPA ID:CA01638 ORELAP/NELAP Cert 4046

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Eurofins  
**Work Order:** N049370  
**Project:** RED HILL

**TestCode: 8015GAS\_WP**

<b>Sample ID: E220209LCS</b>		<b>SampType: LCS</b>		<b>TestCode: 8015GAS_WP</b>		<b>Units: mg/L</b>		<b>RunNo: 160124</b>				
<b>Client ID: LCSW</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>		<b>Prep Date:</b>		<b>SeqNo: 4529993</b>				
<b>Analyte</b>		<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO		1.029	0.050	1.000	0	103	69	143				
Surr: Chlorobenzene - d5		47.982		50.00		96.0	69	130				


<b>Sample ID: E220209MB</b>		<b>SampType: MBLK</b>		<b>TestCode: 8015GAS_WP</b>		<b>Units: mg/L</b>		<b>RunNo: 160124</b>				
<b>Client ID: PBW</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>		<b>Prep Date:</b>		<b>SeqNo: 4529994</b>				
<b>Analyte</b>		<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO		ND	0.050									
Surr: Chlorobenzene - d5		52.048		50.00		104	69	130				

<b>Sample ID: N049370-001AMS</b>		<b>SampType: MS</b>		<b>TestCode: 8015GAS_WP</b>		<b>Units: mg/L</b>		<b>RunNo: 160124</b>				
<b>Client ID: ZZZZZZ</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>		<b>Prep Date:</b>		<b>SeqNo: 4530000</b>				
<b>Analyte</b>		<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO		1.328	0.050	1.000	0	133	49	156				
Surr: Chlorobenzene - d5		54.356		50.00		109	69	130				

<b>Sample ID: N049370-001MSD</b>		<b>SampType: MSD</b>		<b>TestCode: 8015GAS_WP</b>		<b>Units: mg/L</b>		<b>RunNo: 160124</b>				
<b>Client ID: ZZZZZZ</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>		<b>Prep Date:</b>		<b>SeqNo: 4530001</b>				
<b>Analyte</b>		<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO		1.033	0.050	1.000	0	103	49	156	1.328	25.0	20	R
Surr: Chlorobenzene - d5		53.579		50.00		107	69	130		0	0	

**Qualifiers:**

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike/Surrogate outside of limits due to matrix interference
DO	Surrogate Diluted Out	Calculations are based on raw values			


  
 "Serving Clients with Passion and Professionalism"  
 CALIFORNIA P:562.219.7435 F:562.219.7436 NEVADA P:702.307.2659 F:702.307.2691  
 11110 Artesia Blvd - Ste B, Cerritos, CA 90703 3151 W. Post Rd., Las Vegas, NV 89118  
 ELAP Cert 2921 ELAP Cert 2676 | NV Cert NV00922  
 EPA ID:CA01638 ORELAP/NELAP Cert 4046

# ANALYTICAL QC SUMMARY REPORT

**CLIENT:** Eurofins  
**Work Order:** N049370  
**Project:** RED HILL

**TestCode: 8015GAS\_WU**

<b>Sample ID: E220209LCS</b>		<b>SampType: LCS</b>		<b>TestCode: 8015GAS_WU</b>		<b>Units: mg/L</b>		<b>Prep Date: 160124</b>			
<b>Client ID: LCSW</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>				<b>SeqNo: 4530024</b>			
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO	1.029	0.050	1.000	0	103	69	143				
Surr: Chlorobenzene - d5	47.982		50.00		96.0	69	130				


<b>Sample ID: E220209MB</b>		<b>SampType: MBLK</b>		<b>TestCode: 8015GAS_WU</b>		<b>Units: mg/L</b>		<b>Prep Date: 160124</b>			
<b>Client ID: PBW</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>				<b>SeqNo: 4530025</b>			
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO	ND	0.050									
Surr: Chlorobenzene - d5	52.048		50.00		104	69	130				

<b>Sample ID: N049370-001AMS</b>		<b>SampType: MS</b>		<b>TestCode: 8015GAS_WU</b>		<b>Units: mg/L</b>		<b>Prep Date: 160124</b>			
<b>Client ID: ZZZZZZ</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>				<b>SeqNo: 4530031</b>			
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO	1.328	0.050	1.000	0	133	49	156				
Surr: Chlorobenzene - d5	54.356		50.00		109	69	130				

<b>Sample ID: N049370-001MSD</b>		<b>SampType: MSD</b>		<b>TestCode: 8015GAS_WU</b>		<b>Units: mg/L</b>		<b>Prep Date: 160124</b>			
<b>Client ID: ZZZZZZ</b>		<b>Batch ID: E22VW014</b>		<b>TestNo: EPA 8015B</b>				<b>SeqNo: 4530032</b>			
<b>Analyte</b>	<b>Result</b>	<b>PQL</b>	<b>SPK value</b>	<b>SPK Ref Val</b>	<b>%REC</b>	<b>LowLimit</b>	<b>HighLimit</b>	<b>RPD Ref Val</b>	<b>%RPD</b>	<b>RPDLimit</b>	<b>Qual</b>
GRO	1.033	0.050	1.000	0	103	49	156	1.328	25.0	20	R
Surr: Chlorobenzene - d5	53.579		50.00		107	69	130		0	0	

**Qualifiers:**

B	Analyte detected in the associated Method Blank	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit	R	RPD outside accepted recovery limits	S	Spike/Surrogate outside of limits due to matrix interference
DO	Surrogate Diluted Out	Calculations are based on raw values			


  
 "Serving Clients with Passion and Professionalism"  
 CALIFORNIA P:562.219.7435 F:562.219.7436 NEVADA P:702.307.2659 F:702.307.2691  
 11110 Artesia Blvd - Ste B, Cerritos, CA 90703 3151 W. Post Rd., Las Vegas, NV 89118  
 ELAP Cert 2921 ELAP Cert 2676 | NV Cert NV00922  
 EPA ID:CA01638 ORELAP/NELAP Cert 4046



Eaton Analytical

750 Royal Oaks Drive, Suite 100  
Monrovia, CA 91016-3629  
Phone: 626 386 1100  
Fax: 626 386 1101  
800 566 LABS (800 566 5227)

# CHAIN OF CUSTODY RECORD

EUROFINS EATON ANALYTICAL USE ONLY:

LOGIN COMMENTS:

SAMPLES CHECKED AGAINST COC BY:

SAMPLES LOGGED IN BY:

SAMPLES REC'D DAY OF COLLECTION?  (check for yes)

SAMPLE TEMP RECEIVED AT: ASSET LABS 2.8 °C 12#3

Colton / No. California / Arizona °C (Compliance: 4 ± 2 °C)  
 Monrovia °C (Compliance: 4 ± 2 °C)

*FedEx#-3013*

CONDITION OF BLUE ICE: Frozen Partially Frozen Thawed Wet Ice No Ice

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other:

(check for yes) (check for yes)

TO BE COMPLETED BY SAMPLER:

COMPANY/AGENCY NAME:

Honolulu Board of Water Supply

PROJECT CODE:

RED HILL

SAMPLE GROUP:

MW - INTERA Albuquerque +

EEA CLIENT CODE:

HONOLULU

TAT requested: rush by adv notice only: **RUSH**

STD \_\_\_ 1 wk \_\_\_ 3 day \_\_\_ X \_\_\_ 2 day \_\_\_ 1 day \_\_\_

SAMPLE DATE

SAMPLE TIME

SAMPLE ID

CLIENT LAB ID

FIELD DATA

FIELD DATA

TPH 8015 Diesel and Motor Oil

8015 Gas Travel Blank

8015 Gas

Ship to: Asset Laboratories  
3151 West Post Road  
Las Vegas NV 89118  
702-307-2659  
Attn: Marlon Cartin  
marlon@assetlaboratories.com

Bill and Report to **EEA-Monrovia**

SAMPLER COMMENTS

kit# 308834  
Provided by EEA

\* MATRIX TYPES: RSW = Raw Surface Water RGW = Raw Ground Water  
CFW = Chlor(am)inated Finished Water FW = Other Finished Water  
SEAW = Sea Water BW = Bottled Water SO = Soil  
WW = Waste Water SW = Storm Water SL = Sludge

SIGNATURE

SAMPLED BY: *[Signature]*  
RELINQUISHED BY: *[Signature]*  
RECEIVED BY: *[Signature]*  
RELINQUISHED BY: *[Signature]*  
RECEIVED BY:

PRINT NAME

Kevin Gooding  
Kevin Gooding

COMPANY/TITLE

INTERA Incorporated / Senior Hydrogeologis  
INTERA Incorporated / Senior Hydrogeologis  
*ASSET LABS*

DATE

2/16/22  
2/18/22  
2/19/22

TIME

0910  
1030  
1020



# ASSET Laboratories

Please review the checklist below. Any NO signifies non-compliance. Any non-compliance will be noted and must be understood as having an impact on the quality of the data. All tests will be performed as requested regardless of any compliance issues.

If you have any questions or further instruction, please contact our Project Coordinator at (702) 307-2659.

Cooler Received/Opened On: 2/9/2022 Workorder: N049370  
 Rep sample Temp (Deg C): 2.8 IR Gun ID: 3  
 Temp Blank:  Yes  No  
 Carrier name: FedEx  
 Last 4 digits of Tracking No.: 3013 Packing Material Used: Bubble Wrap  
 Cooling process:  Ice  Ice Pack  Dry Ice  Other  None

## Sample Receipt Checklist

- |   |  |  |  |
|---|--|--|--|
| 1. Shipping container/cooler in good condition?   | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                | Not Present <input type="checkbox"/>   |
| 2. Custody seals intact, signed, dated on shipping container/cooler?                    | Yes <input type="checkbox"/>                                 | No <input type="checkbox"/>                                | Not Present <input checked="" type="checkbox"/>                                  |
| 3. Custody seals intact on sample bottles?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                | Not Present <input type="checkbox"/>   |
| 4. Chain of custody present?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 5. Sampler's name present in COC?   | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 6. Chain of custody signed when relinquished and received?                              | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 7. Chain of custody agrees with sample labels?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 8. Samples in proper container/bottle?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 9. Sample containers intact?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 10. Sufficient sample volume for indicated test?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 11. All samples received within holding time?   | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                |  |
| 12. Temperature of rep sample or Temp Blank within acceptable limit?                    | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                | NA <input type="checkbox"/>  |
| 13. Water - VOA vials have zero headspace?  | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                | NA <input type="checkbox"/>  |
| 14. Water - pH acceptable upon receipt?<br>Example: pH > 12 for (CN,S); pH<2 for Metals | Yes <input type="checkbox"/>                                 | No <input type="checkbox"/>                                | NA <input checked="" type="checkbox"/>   |
| 15. Did the bottle labels indicate correct preservatives used?                          | Yes <input checked="" type="checkbox"/>                      | No <input type="checkbox"/>                                | NA <input type="checkbox"/>  |
| 16. Were there Non-Conformance issues at login?<br>Was Client notified?                 | Yes <input type="checkbox"/><br>Yes <input type="checkbox"/> | No <input type="checkbox"/><br>No <input type="checkbox"/> | NA <input checked="" type="checkbox"/><br>NA <input checked="" type="checkbox"/> |

Comments: Sample 2: Same collection date and time of the associated field sample (sample 1), with intact custody seal.

For: \_\_\_\_\_  
 Checklist Completed By: GGJ *YRJ* 2/9/2022

Reviewed By: *ABC* 2/10/2022

**ASSET Laboratories**

**WORK ORDER Summary**

10-Feb-22

**WorkOrder:** N049370

**Client ID:** EUROF01

**Project:** RED HILL

**Comments:** MRL only

**QC Level:** RTNE

**Date Received:** 2/9/2022

Sample ID	Client Sample ID	Date Collected	Date Due	Matrix	Test No	Test Name	Hld	MS	Sub	Storage
N049370-001A	986291_202202090913_BWS 2022 11 11 AM	2/8/2022 9:10:00 AM	2/11/2022	Raw Groundwater	EPA 8015B	GASOLINE RANGE ORGANICS BY GC/FID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	VW
N049370-001B			2/11/2022		EPA 3510C	SEPARATORY FUNNEL EXTRACTION: EXTRACTABLE FUELS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	WW
			2/11/2022		EPA 8015B(M)	TPH Carbon Chain EPA 8015	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	WW
N049370-002A	986291_202202090914_BWS 2022 11 11 AM		2/11/2022	Bottled Water	EPA 8015B	GASOLINE RANGE ORGANICS BY GC/FID	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	VW
N049370-003A	FOLDER	2/11/2022	2/11/2022		Folder	Folder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAB
			2/11/2022		Folder	Folder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	LAB

ORIGIN ID:HNLA (808) 382-6853  
INTERA INC  
KEVIN GOODING  
74 KIHAPAI ST  
KAILUA, HI 96734  
UNITED STATES US

SHIP DATE: 08FEB22  
ACTWGT: 39.90 LB  
CAD: 6994241/SSFE2220  
DIMS: 20x14x14 IN  
BILL THIRD PARTY

Part # 188297-839/210/02/159p 09/22


TO **ASSET LABORATORIES**  
**SAMPLE RECIEVING ATTN:MARLON CARTIN**  
**3151 W POST RD**

**LAS VEGAS NV 89118**

(702) 307-2869  
INU:  
PG:

REF:

DEPT:



**FedEx**  
Express




1010901002010221

TRK# 2896 1837 3013  
0201

**WED - 09 FEB 10:30A**  
**PRIORITY OVERNIGHT**

**WR LASA**

AHS  
89118  
NV-US LAS



2.8°C 10#3

1020